

Product datasheet for RC227942L3

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

DMTF1 (NM_001142326) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: DMTF1 (NM_001142326) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: DMTF1

Synonyms: DMP1; DMTF; hDMP1; MRUL

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC227942).

Sgfl-Mlul

Sequence:

ince.

Restriction Sites: Cloning Scheme:





 $[\]ensuremath{^*}$ The last codon before the Stop codon of the ORF.

ACCN: NM_001142326

ORF Size: 2016 bp





DMTF1 (NM_001142326) Human Tagged Lenti ORF Clone - RC227942L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001142326.1</u>, <u>NP 001135798.1</u>

7q21.12

 RefSeq Size:
 3684 bp

 RefSeq ORF:
 2019 bp

 Locus ID:
 9988

 UniProt ID:
 Q9Y222

Protein Families: Transcription Factors

MW: 74.9 kDa

Cytogenetics:


Gene Summary: This gene encodes a transcription factor that contains a cyclin D-binding domain, three

central Myb-like repeats, and two flanking acidic transactivation domains at the N- and C-termini. The encoded protein is induced by the oncogenic Ras signaling pathway and functions as a tumor suppressor by activating the transcription of ARF and thus the ARF-p53 pathway to arrest cell growth or induce apoptosis. It also activates the transcription of aminopeptidase N and may play a role in hematopoietic cell differentiation. The transcriptional activity of this protein is regulated by binding of D-cyclins. This gene is hemizygously deleted in approximately 40% of human non-small-cell lung cancer and is a potential prognostic and gene-therapy target for non-small-cell lung cancer. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by

RefSeq, Dec 2008]



Product images:



Circular map for RC227942L3