

## Product datasheet for RC228031L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Inositol Hexakisphosphate Kinase 2 (IP6K2) (NM\_001146178) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: Inositol Hexakisphosphate Kinase 2 (IP6K2) (NM\_001146178) Human Tagged ORF Clone

Lentiviral Particle

Symbol: Inositol Hexakisphosphate Kinase 2

Synonyms: IHPK2; InsP6K2; PIUS

**Mammalian Cell** 

Selection:

Puromycin

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

**ACCN:** NM\_001146178

ORF Size: 261 bp

**ORF Nucleotide** 

Sequence:

The ORF insert of this clone is exactly the same as(RC228031).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 001146178.2</u>, <u>NP 001139650.1</u>

RefSeq Size: 1324 bp
RefSeq ORF: 264 bp
Locus ID: 51447
UniProt ID: Q9UHH9
Cytogenetics: 3p21.31

**Protein Families:** Druggable Genome





**MW:** 9.8 kDa

**Gene Summary:** This gene encodes a protein that belongs to the inositol phosphokinase (IPK) family. This

protein is likely responsible for the conversion of inositol hexakisphosphate (InsP6) to diphosphoinositol pentakisphosphate (InsP7/PP-InsP5). It may also convert 1,3,4,5,6-pentakisphosphate (InsP5) to PP-InsP4 and affect the growth suppressive and apoptotic activities of interferon-beta in some ovarian cancers. Alternative splicing results in multiple

transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]