

## **Product datasheet for RC228088**

## H2BW2 (NM 001164416) Human Tagged ORF Clone

## **Product data:**

**Product Type:** Expression Plasmids

Product Name: H2BW2 (NM\_001164416) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: H2BW2

Synonyms: H2BFM; H2BM

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC228088 representing NM\_001164416
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCCGCTGCTTCCGCCATGGCTGAGGCTTCCTCTGAGACAACCTCGGAGGAAGGCCAGAGCATCCAGGAGCCCCAAAGAGGCCAACTCCACGAAGGCCCAGAGCCCCAAGAGGCCAACCCCACACGCAGGCCCCCAGAGCCTTCACCCCCTATTTCCCCCGGGTGCTGAAGCAGGTTCACCAGGGCCTCAGCCTTTCCCAGGAGGCCGTGAGTGTCATGGATTCTATGATCCATGACATATTGGACCGCATCGCCACCGAGGCTGGTCAGCTGGCCCATTACACCAAGCGCGTGACCATCACCTCCCGGGACATCCCAGATGGCCGTGCGACTGCCGCGGGACATCCACCTGCCGGGACATCCACCTCAGAACTTCATTATGTGCGATATGGCAACAGAGAAAG

 ${\color{red} \textbf{ACGCGT}} \textbf{ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT}$ 

ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC228088 representing NM\_001164416

Red=Cloning site Green=Tags(s)

MAAASAMAEASSETTSEEGQSIQEPKEANSTKAQKQKRRGCRGSRRRHANRRGDSFGDSFTPYFPRVLKQ VHQGLSLSQEAVSVMDSMIHDILDRIATEAGQLAHYTKRVTITSRDIQMAVRLLLPGKMGKLAEAQGTNA

ALRTSLCAIWQQRK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Chromatograms:** https://cdn.origene.com/chromatograms/mk8037 e04.zip



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM 001164416

ORF Size: 462 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001164416.1</u>, <u>NP 001157888.1</u>

 RefSeq ORF:
 447 bp

 Locus ID:
 286436

 UniProt ID:
 P0C1H6



Cytogenetics: Xq22.2

**Protein Pathways:** Systemic lupus erythematosus


**MW:** 16.8 kDa

**Gene Summary:** Histones are basic nuclear proteins that are responsible for the nucleosome structure of the

chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene encodes a replication-independent histone that is a member of the H2B

histone family. [provided by RefSeq, Nov 2015]

## **Product images:**



Circular map for RC228088