

Product datasheet for RC228113

RNF170 (NM 001160225) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: RNF170 (NM_001160225) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: RNF170

Synonyms: ADSA; SNAX1

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC228113 representing NM_001160225
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATCGAGAAGTGATAACCCAAAGGCTAACTAGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC228113 representing NM_001160225

Red=Cloning site Green=Tags(s)

MYCPICLHQASFPVETNCGHLFCGACIIAYWRYGSWLGAISCPICRQTVTLLLTVFGEDDQSQDVLRLHQ DINDYNRRFSGQPRSIMERIMDLPTLLRHAFREMFSVGGLFWMFRIRIILCLMGAFFYLISPLDFVPEAL

FGILGFLDDFFVIFLLLIYISIMYREVITQRLTR

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/ja1455 g10.zip



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Restriction Sites:

Sgfl-Mlul

Cloning Scheme:

Cloning sites used for ORF Shuttling:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001160225

ORF Size: 522 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001160225.2</u>

 RefSeq ORF:
 525 bp

 Locus ID:
 81790

 UniProt ID:
 Q96K19

 Cytogenetics:
 8p11.21



Protein Families: Druggable Genome, Transmembrane


MW: 20.2 kDa

Gene Summary: This gene encodes a RING domain-containing protein that resides in the endoplasmic

reticulum (ER) membrane. This protein functions as an E3 ubiquitin ligase and mediates ubiquitination and processing of inositol 1,4,5-trisphosphate (IP3) receptors via the ER-associated protein degradation pathway. It is recruited to the activated IP3 receptors by the ERLIN1/ERLIN2 complex to which it is constitutively bound. Mutations in this gene are associated with autosomal dominant sensory ataxia. Alternatively spliced transcript variants

have been found for this gene. [provided by RefSeq, Jun 2012]

Product images:



Circular map for RC228113