

Product datasheet for RC228115

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

NRG1 (NM_001160007) Human Tagged ORF Clone

NRG1

Product data:

Product Type: Expression Plasmids

Product Name: NRG1 (NM_001160007) Human Tagged ORF Clone

Tag: Myc-DDK

Synonyms: ARIA; GGF; GGF2; HGL; HRG; HRG1; HRGA; MST131; MSTP131; NDF; NRG1-IT2; SMDF

Mammalian Cell Neomycin

Selection:

Vector:

Symbol:

pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >RC228115 representing NM_001160007
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TGGTGAAAGACCTTTCAAACCCCTCGAGATACTTGTGCAAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC228115 representing NM_001160007

Red=Cloning site Green=Tags(s)

MSERKEGRGKGKKKKERGSGKKPESAAGSQSPALPPRLKEMKSQESAAGSKLVLRCETSSEYSSLRFKW FKNGNELNRKNKPQNIKIQKKPGKSELRINKASLADSGEYMCKVISKLGNDSASANITIVESNATSTSTT

GTSHLVKCAEKEKTFCVNGGECFMVKDLSNPSRYLCK

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**


Restriction Sites: Sgfl-Mlul





Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001160007

ORF Size: 531 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001160007.2</u>

RefSeq Size: 1592 bp
RefSeq ORF: 534 bp
Locus ID: 3084



Cytogenetics: 8p12

Protein Families: Druggable Genome, Secreted Protein, Transcription Factors, Transmembrane

Protein Pathways: ErbB signaling pathway

MW: 19.3 kDa

Gene Summary: The protein encoded by this gene is a membrane glycoprotein that mediates cell-cell


signaling and plays a critical role in the growth and development of multiple organ systems.

An extraordinary variety of different isoforms are produced from this gene through

alternative promoter usage and splicing. These isoforms are expressed in a tissue-specific manner and differ significantly in their structure, and are classified as types I, II, III, IV, V and VI. Dysregulation of this gene has been linked to diseases such as cancer, schizophrenia, and

bipolar disorder (BPD). [provided by RefSeq, Apr 2016]

Product images:



Circular map for RC228115