

Product datasheet for RC228175L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

LDHA (NM_001165416) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: LDHA (NM_001165416) Human Tagged ORF Clone Lentiviral Particle

Symbol: LDHA

Synonyms: GSD11; HEL-S-133P; LDHM; PIG19

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM_001165416

ORF Size: 723 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC228175).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 001165416.1</u>, <u>NP 001158888.1</u>

 RefSeq ORF:
 726 bp

 Locus ID:
 3939

 UniProt ID:
 P00338

 Cytogenetics:
 11p15.1

Protein Families: Druggable Genome

Protein Pathways: Cysteine and methionine metabolism, Glycolysis / Gluconeogenesis, Metabolic pathways,

Propanoate metabolism, Pyruvate metabolism





LDHA (NM_001165416) Human Tagged ORF Clone Lentiviral Particle - RC228175L3V

MW:

26.5 kDa

Gene Summary:

The protein encoded by this gene catalyzes the conversion of L-lactate and NAD to pyruvate and NADH in the final step of anaerobic glycolysis. The protein is found predominantly in muscle tissue and belongs to the lactate dehydrogenase family. Mutations in this gene have been linked to exertional myoglobinuria. Multiple transcript variants encoding different isoforms have been found for this gene. The human genome contains several non-transcribed pseudogenes of this gene. [provided by RefSeq, Sep 2008]