

## Product datasheet for RC228307L4V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Sex Hormone Binding Globulin (SHBG) (NM 001146279) Human Tagged ORF Clone Lentiviral **Particle**

**Product data:** 

Product Type: Lentiviral Particles

Sex Hormone Binding Globulin (SHBG) (NM\_001146279) Human Tagged ORF Clone Lentiviral **Product Name:** 

**Particle** 

Symbol: Sex Hormone Binding Globulin

ABP; SBP; TEBG Synonyms:

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

mGFP Tag:

ACCN: NM 001146279

**ORF Size:** 1152 bp

**ORF Nucleotide** 

Sequence:

The ORF insert of this clone is exactly the same as(RC228307).

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 001146279.1

RefSeq ORF: 1155 bp Locus ID: 6462 **UniProt ID:** P04278 Cytogenetics: 17p13.1

**Protein Families:** Druggable Genome, Secreted Protein

MW: 41.71 kDa





## **Gene Summary:**

This gene encodes a steroid binding protein that was first described as a plasma protein secreted by the liver but is now thought to participate in the regulation of steroid responses. The encoded protein transports androgens and estrogens in the blood, binding each steroid molecule as a dimer formed from identical or nearly identical monomers. Polymorphisms in this gene have been associated with polycystic ovary syndrome and type 2 diabetes mellitus. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2014]