

Product datasheet for RC228337L3

PIP4K2C (NM_001146258) Human Tagged Lenti ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PIP4K2C (NM_001146258) Human Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	PIP4K2C
Synonyms:	PIP5K2C
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC228337).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.

ACCN:	NM_001146258
ORF Size:	1263 bp



[View online »](#)

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001146258.1 , NP_001139730.1
RefSeq ORF:	1266 bp
Locus ID:	79837
UniProt ID:	Q8TBX8
Cytogenetics:	12q13.3
Protein Families:	Druggable Genome
Protein Pathways:	Inositol phosphate metabolism, Phosphatidylinositol signaling system, Regulation of actin cytoskeleton
MW:	47.1 kDa
Gene Summary:	May play an important role in the production of Phosphatidylinositol bisphosphate (PIP2), in the endoplasmic reticulum.[UniProtKB/Swiss-Prot Function]