

## Product datasheet for **RC228395**

### AMHR2 (NM\_001164691) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	AMHR2 (NM_001164691) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	AMHR2
Synonyms:	AMHR; MISR2; MISRII; MRII
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RC228395 representing NM\_001164691  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGCTAGGGTCTTTGGGGCTTTGGGCATTACTTCCCACAGCTGTGGAAGCACCCCAACAGGCGAACCT  
 GTGTGTTCTTTGAGGCCCTGGAGTGCGGGGAAGCACAAAGACACTGGGAGAGCTGCTAGATACAGGCAC  
 AGAGCTCCCCAGAGCTATCCGCTGCCTCTACAGCCGCTGCTGCTTTGGGATCTGGAACCTGACCCAAGAC  
 CGGGCACAGGTGGAATGCAAGGATGCCGAGACAGTGTAGCCAGGCTGTGAGTCCCTCCACTGTGACC  
 CAAGTCCCGAGCCACCCAGCCCTGGCTCCACTCTCTTACCTGCTCCTGTGGCACTGACTTCTGCAA  
 TGCCAATTACAGCCATCTGCCTCCTCCAGGAGCCCTGGGACTCCTGGCTCCCAGGGTCCCAGGCTGCC  
 CCAGGTGAGTCCATCTGGATGGCACTGGTGTCTGGGGCTGTTCTCCTCCTCCTGCTGCTGCTGGCA  
 GCATCATCTTGGCCCTGTACAGCGAAAGAACTACAGAGTGCAGGTGAGCCAGTCCAGAGCCAAGGCC  
 AGACTCAGGCAGGACTGGAGTGTGGAGCTGCAGGAGCTGCCTGAGCTGTGTTTCTCCAGGTAATCCGG  
 GAAGGAGTTCATGCAAGTGGTTTGGGCGGGCAGCTGCAAGGAAAAGTGGTTGCCATCAAGGCCTTCCAC  
 CGAGGTCTGTGGCTCAGTTCCAAGCTGAGAGAGCATTGTACGAACTTCCAGGCCTACAGCAGACCACAT  
 TGTCCGATTTATCACTGCCAGCCGGGGGGTCTGGCCGCTGCTCTCTGGGCCCTGCTGGTACTGGAA  
 CTGCATCCCAAGGGTCCCTGTGCCACTACTTGACCCAGTACACCAGTACTGGGAAAGTCCCTGCGGA  
 TGGCACTGTCCCTGGCCAGGGCTGGCATTCTCCATGAGGAGCGCTGGCAGAAATGGCCAATAAACC  
 AGGTATTGCCACCGAGTCTGAGCAGCCAGAAATGTGCTATTGCGGAAGATGGATCGTGTGCCATTGGA  
 GACCTGGGCTTGCCTTGGTGTCCCTGGCCTCACTCAGCCCCCTGCCTGGACCCCTACTCAACCACAAG  
 GCCAGCTGCCATCATGGAAGACCCTGATGGGCTGAGGAGCTCCTAGAAGACTGTTGGGATGCAGACCC  
 AGAAGCACGGCTGACAGCTGAGTGTGTACAGCAGCGCCTGGCTGCCTTGGCCATCCTCAAGAGAGCCAC  
 CCCTTCCAGAGAGCTGTCCACGTGGCTGCCACCTCTCTGCCAGAAAGACTGTACTTCAATTCTGCC  
 CTACCATCTCCCTGTAGGCTCAGCGGAGTGCCTGCCACTTACAGGTTAGCAAGGCCCTTGTCCAG  
 GAATCCTCAGCCTGCCTGTACCCTTCTCTGTG

**ACGGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT**  
**ACAAGGATGACGACGATAAGGTTTAA**

**Protein Sequence:**

>RC228395 representing NM\_001164691  
 Red=Cloning site Green=Tags(s)

MLGSLGLWALLPTAVEAPPNRRTCVFFEAPGVRGSKTLGELLDTGTELPRAIRCLYSRCCFGIWNLTQD  
 RAQVEMQGRDSDPEGCESLHCDPSRAHPSPGSTLFTCSCGTFNANYSHLPPPGSPGTPGSQGPQAA  
 PGESIWMALVLLGLFLLLLLLLSIILALLQRKNYRVRGEPVPEPRPDSGRDWSVELQELPELFCFSQVIR  
 EGGHAVVWAGLQGKLVAIKAFPPRSVAQFQAERALYELPGLQHDHIVRFITASRGGPGRLLSGPLLVLE  
 LHPKGSGLCHYLTYTSDWSSLRMALSLAQGLAFLHEERWQNGQYKPGIAHRDLSSQNVLIREDGSCAIG  
 DLGLALVLPGLTQPPAWTPTQPQGPAAIMEDPDGLRELLEDWCWDADPEARLTAECVQQRLLAALHPQESH  
 PFPESCPRGCPPLCPEDCTSIPAPTILPCRQRSACHFSVQQGPCSRNPQPACTLSPV

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**

**Chromatograms:**

[https://cdn.origene.com/chromatograms/mk8062\\_e10.zip](https://cdn.origene.com/chromatograms/mk8062_e10.zip)

**Restriction Sites:**

Sgfl-MluI

**Cloning Scheme:**


**ACCN:** NM\_001164691

**ORF Size:** 1434 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001164691.2](#)

**RefSeq ORF:** 1437 bp

**Locus ID:** 269

**UniProt ID:** [Q16671](#)

**Cytogenetics:** 12q13.13


**Protein Families:** Druggable Genome, Protein Kinase, Transmembrane

**Protein Pathways:** Cytokine-cytokine receptor interaction, TGF-beta signaling pathway


**MW:** 51.6 kDa

**Gene Summary:** This gene encodes the receptor for the anti-Mullerian hormone (AMH) which, in addition to testosterone, results in male sex differentiation. AMH and testosterone are produced in the testes by different cells and have different effects. Testosterone promotes the development of male genitalia while the binding of AMH to the encoded receptor prevents the development of the mullerian ducts into uterus and Fallopian tubes. Mutations in this gene are associated with persistent Mullerian duct syndrome type II. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Sep 2009]

**Product images:**



Circular map for RC228395



Western blot validation of overexpression lysate (Cat# [LY431423]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC228395 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).