

## Product datasheet for RC228397L3V

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## RASGRP 4 (RASGRP4) (NM 001146206) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: RASGRP 4 (RASGRP4) (NM 001146206) Human Tagged ORF Clone Lentiviral Particle

Symbol: RASGRP 4

Mammalian Cell Puromycin

Selection:

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM\_001146206

ORF Size: 1452 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC228397).

Sequence:
OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 001146206.1</u>, <u>NP 001139678.1</u>

 RefSeq ORF:
 1455 bp

 Locus ID:
 115727

 UniProt ID:
 Q8TDF6

 Cytogenetics:
 19q13.2

**Protein Families:** Druggable Genome

**Protein Pathways:** MAPK signaling pathway

**MW:** 53.7 kDa





# RASGRP 4 (RASGRP4) (NM\_001146206) Human Tagged ORF Clone Lentiviral Particle – RC228397L3V

#### **Gene Summary:**

The protein encoded by this gene is a member of the Ras guanyl nucleotide-releasing protein (RasGRP) family of Ras guanine nucleotide exchange factors. It contains a Ras exchange motif, a diacylglycerol-binding domain, and two calcium-binding EF hands. This protein was shown to activate H-Ras in a cation-dependent manner in vitro. Expression of this protein in myeloid cell lines was found to be correlated with elevated level of activated RAS protein, and the RAS activation can be greatly enhanced by phorbol ester treatment, which suggested a role of this protein in diacylglycerol regulated cell signaling pathways. Studies of a mast cell leukemia cell line expressing substantial amounts of abnormal transcripts of this gene indicated that this gene may play an important role in the final stages of mast cell development. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Apr 2009]