

Product datasheet for RC228484L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Synaptotagmin 14 (SYT14) (NM 001146264) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Synaptotagmin 14 (SYT14) (NM_001146264) Human Tagged ORF Clone Lentiviral Particle

Symbol: Synaptotagmin 14

Synonyms: SCAR11; sytXIV

Mammalian Cell

- · ·

Puromycin

Selection:

Vector:

pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM_001146264

ORF Size: 1800 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC228484).

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001146264.1

RefSeq ORF: 1803 bp Locus ID: 255928 Cytogenetics: 1q32.2

. 9=.=

Protein Families: Transmembrane

MW: 67 kDa





Synaptotagmin 14 (SYT14) (NM_001146264) Human Tagged ORF Clone Lentiviral Particle – RC228484L3V

Gene Summary:

This gene is a member of the synaptotagmin gene family and encodes a protein similar to other family members that mediate membrane trafficking in synaptic transmission. The encoded protein is a calcium-independent synaptotagmin. Mutations in this gene are a cause of autosomal recessive spinocerebellar ataxia-11 (SCAR11), and a t(1;3) translocation of this gene has been associated with neurodevelopmental abnormalities. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, and a pseudogene of this gene is located on the long arm of chromosome 4. [provided by RefSeq, Dec 2011]