

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC228502L3V


## Acinus (ACIN1) (NM\_001164816) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	Acinus (ACIN1) (NM_001164816) Human Tagged ORF Clone Lentiviral Particle
Symbol:	Acinus
Synonyms:	ACINUS; ACN; fSAP152
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_001164816
ORF Size:	1842 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC228502).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001164816.1</u>
RefSeq ORF:	1845 bp
Locus ID:	22985
UniProt ID:	Q9UKV3
Cytogenetics:	14q11.2
Protein Pathways:	Spliceosome
MW:	70.8 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



mary:Apoptosis is defined by several morphologic nuclear changes, including chromatin<br/>condensation and nuclear fragmentation. This gene encodes a nuclear protein that induces<br/>apoptotic chromatin condensation after activation by caspase-3, without inducing DNA<br/>fragmentation. This protein has also been shown to be a component of a splicing-dependent<br/>multiprotein exon junction complex (EJC) that is deposited at splice junctions on mRNAs, as a<br/>consequence of pre-mRNA splicing. It may thus be involved in mRNA metabolism associated<br/>with splicing. Alternatively spliced transcript variants encoding different isoforms have been<br/>described for this gene. [provided by RefSeq, Oct 2011]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US