

Product datasheet for **RC228555**

epithelial Sodium Channel alpha (SCNN1A) (NM_001159576) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	epithelial Sodium Channel alpha (SCNN1A) (NM_001159576) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	epithelial Sodium Channel alpha
Synonyms:	BESC2; ENaCa; ENaCalpha; LIDL33; SCNEA; SCNN1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC228555 representing NM_001159576
 Red=Cloning site Blue=ORF Green=Tags(s)


TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGGCATGGCCAGGGGAGCCTCACTCGGGTTCAGGGGTGATGGGAGAGGGCACTCAGGGCCAGAGC
 TCAGCCTTGACCCTGACCCTTGCTCTCCCAATCCACTCCGGGGCTCATGAAGGGGAACAAGCTGGAGGA
 GCAGGACCTAGACCTCTGCAGCCATACCAGGTCTCATGGAGGGGAACAAGCTGGAGGAGCAGGACTCT
 AGCCCTCCACAGTCCACTCCAGGGCTCATGAAGGGGAACAAGCGTGAGGAGCAGGGGCTGGGCCCGAAC
 CTGCGGCGCCAGCAGCCACGGCGGAGGAGGAGGCCCTGATCGAGTTCACCGCTCCTACCGAGAGCT
 CTTGAGTTCTTCTGCAACAACACCACCATCCACGGCGCCATCCGCCTGGTGTGCTCCAGCACAACCGC
 ATGAAGACGGCCTTCTGGCAGTGTGTGGCTCTGCACCTTTGGCATGATGTACTGGCAATTCGGCCTGC
 TTTTCGGAGAGTACTTCAGTACCCCGTACGCCCAACATCAACCTCAACTCGGACAAGCTCGTCTTCCC
 CGCAGTGACCATCTGCACCTCAATCCCTACAGGTACCCGAAATTAAGAGGAGCTGGAGGAGCTGGAC
 CGCATCACAGAGCAGACGCTCTTTGACCTGTACAAATACAGCTCCTTACCACCTCTCGTGGCCGGCTCCC
 GCAGCCGTCGCGACCTGCGGGGGACTCTGCCGACCCCTTGCAGCGCCTGAGGGTCCCGCCCCGCTCA
 CGGGGCCCGTTCGAGCCGTAGCGTGGCCTCCAGCTTGCGGGACAACAACCCAGGTGGACTGGAAGGAC
 TGAAGATCGGCTTCCAGCTGTGCAACCAGAACAATCGGACTGCTTCTACCAGACATACTCATCAGGGG
 TGGATGCGGTGAGGGAGTGGTACCGCTTCCACTACATCAACATCCTGTGAGGCTGCCAGAGACTCTGCC
 ATCCCTGGAGGAGACACGCTGGCAACTTCATCTTCCGCTGCCGCTTCAACCAGTCTCCTGCAACCAG
 GCGAATTACTCTCACTTCCACCACCCGATGTATGGAACTGCTATACTTCAATGACAAGAACAACCTCCA
 ACCTCTGGATGTCTTCCATGCCATGGAATCAACAACGGTCTGTCCCTGATGCTGCGGCGAGAGCAGAATGA
 CTTCAATCCCCTGCTGTCCACAGTACTGGGGCCCGGTAATGGTGCACGGGAGGATGAACCTGCCTTT
 ATGGATGATGGTGGCTTTAACTTGCAGCCTGGCCTGGAGACCTCCATCAGCATGAGGAAGGAAACCTGG
 ACAGACTTGGGGGCGATTATGGCGACTGCACCAAGAATGGCAGTGTGTTCTGTGAGAACCTTTACCC
 TTCAAAGTACACACAGCAGGTGTGTATTCACTCCTGCTTCCAGGAGAGCATGATCAAGGAGTGTGGCTGT
 GCCTACATCTTCTATCCGCGGCCCCAGAACGTGGAGTACTGTGACTACAGAAAGCACAGTTCCTGGGGGT
 ACTGCTACTATAAGCTCCAGTTGACTTCTCCTCAGACCCTGGGCTGTTTACCAAGTGCCGGAAGCC
 ATGCAGCGTGACCAGTACCAGTCTCTGCTGGTACTCAGATGGCCCTCGGTGACATCCAGGAATGG
 GTCTTCCAGATGCTATCGCGACAGAACAATTACACCGTCAACAACAAGAGAAATGGAGTGGCCAAAGTCA
 ACATCTTCTTCAAGGAGCTGAACTACAAAACCAATTCTGAGTCTCCCTCTGTACGATGGTCAACCTCCT
 GTCCAACCTGGGAGCCAGTGGAGCCTGTGGTTCGGCTCCTCGGTGTTGTCTGTGGTGGAGATGGCTGAG
 CTGCTCTTTGACCTGCTGGTTCATCATGTTCTCATGCTGCTCCGAAGGTTCCGAAGCCGATACTGGTCTC
 CAGGCCGAGGGGGCAGGGGTGCTCAGGAGGTAGCCTCCACCCTGGCATCCTCCCCCTTCCCACCTCTG
 CCCCCACCCATGTCTCTGTCTTGTCCAGCCAGGCCCTGTCCCTCTCCAGCCTTGACAGCCCTCCC
 CCTGCCTATGCCACCCTGGGCCCCCGCCATCTCCAGGGGGCTCTGCAGGGGCCAGTTCTCCACCTGTC
 CTCTGGGGGGGCC


ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.
	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001159576.2
RefSeq ORF:	2187 bp
Locus ID:	6337
UniProt ID:	P37088
Cytogenetics:	12p13.31
Protein Families:	Druggable Genome, Ion Channels: Other, Transmembrane
Protein Pathways:	Taste transduction
MW:	81.7 kDa
Gene Summary:	Nonvoltage-gated, amiloride-sensitive, sodium channels control fluid and electrolyte transport across epithelia in many organs. These channels are heteromeric complexes consisting of 3 subunits: alpha, beta, and gamma. This gene encodes the alpha subunit, and mutations in this gene have been associated with pseudohypoaldosteronism type 1 (PHA1), a rare salt wasting disease resulting from target organ unresponsiveness to mineralocorticoids. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, Apr 2009]

Product images:



Circular map for RC228555



HEK293T cells were transfected with the pCMV6-ENTRY control (Cat# [PS100001], Left lane) or pCMV6-ENTRY SCNN1A (Cat# RC228555, Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-SCNN1A antibody (Cat# [TA890149]). Positive lysates [LY422000] (100ug) and [LC422000] (20ug) can be purchased separately from OriGene.