

Product datasheet for **RC228558**

SYTL5 (NM_001163335) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SYTL5 (NM_001163335) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	SYTL5
Synonyms:	slp5
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RC228558 representing NM_001163335
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGCATCGCC**

ATGTCTAAGAACTCAGAGTTCATCAATCTGTCATTTTTATTAGATCATGAGAAGGAAATGATCCTGGCGG
TCCTAAAGAGAGATGAATATTTGAAAAAGTGGAGGACAAGAGAATAAGGAAGCTGAAAAATGAACCTT
AGAAGCAAAACGTAGAAGTGGGAAAACTCAACAAGAGGCCAGCAGAGTTTGTGTTCACTGTCACAGAAAC
CTGGGCCATACTTTGACCGGGGAGACCCTTGTCAAGGCTTGTCACTGAGGGTATGCAGGGAGTGTGAG
TTGCAGGCCCAATGGCAGCTGGAAGTGCAGTGTCTGTGACAAAAATCGCGCAGCTAAGGATTATACTGG
TGAGTGGTTTTTTGAAGAAAAGGCAAAACGTTTTCAAGCAAGTCAATGTTCTCGGCACTGATGTTGTCCGA
CAGTCCATTTTAAGAAGAAGTCCAGGAGCTGAAGAAGTACAGAGCCAAGAGCAAACCCGCCAGGATGCAG
AAAAGTCAGACACTTCACCTGTTGCTGGGAAGAAGGCCAGCCATGATGGGCCAAGAGAAAGGGATTCT
TCTTAGCAAGTTCAGATCGGCAACCAGAGGAGAAATCATAACTCCAAAACCTGACACTGGCGGAGCTAT
AGCTTGGACTTAGACGGTCAACATTTTCGGAGTTTAAAAACACCTCCTGGTTTCAGACAGGGGAAGCACTG
GCTCATCAGATCTCAATGACCAGGAACCTGGTCTTAGGACCCCAAGAGCAGTCCGAGCAATGGTGTGAC
CCCAGGCACTCAGAGTTCACCAGCCCCAAGCACACGAACCTGTGACCTCAGTCATCAGTAGAGAGTATGGT
TTTGAAAATTCATGGATTTGGCTGCTATTGAAGGTACCTCTCAGGAGCTCACAAGAGTACCAGCAGAA
ACACTTCTGGCACACCTTCCATAGCAGTGTCTGGAACCTCTCTCCTCAGATCAGAGTCGATCTGAGTT
AGATTTGAGTGAGTCATTTACAGAAGACTCAGAGGATACTGTAAGCATAAGAAGCAAGTCTGTCCCTGGG
GCTTTAGACAAGGACTCCTTGGAAAGAGACTGAAGAAAGCATTGATGCCTTAGTGTCTCGCAGTTATCTA
CAAAACTCACCGTCTGGCAAGTGGCCTATCAACTACCAGCCTAACAGCATGATGAGCGTTTACAGTGA
AACGGGAGACTATGGCAACGTGAAAGTCAAGTGGTGGAAATCCTTCCATATCAGCTACTGCTACAAAAC
GGTGGGCTGTACATTTTTGTCAAGAATTGCAGAAATCTGGCCATAGGAGATGAAAAGAAACAGAGGACAG
ATGCTTATGTCAAGTCATATCTTCTCCTGACAAGTCCCAGAACAAAGCGTAAGACCAAAATCAGAAC
AGGCACCAATCCAGAATTCATGAAACACTAAAGTACACTATCAGCCATACCCAGCTGGAACAAGAACT
CTGCAGCTCTCAGTCTGGCACTATGATCGATTTGGACGTAATAGCTTCTCGGGGAGTAGAGATTCCTT
TTGACTCATGGAACCTTGAAAATCCAACCTGATGAGTGGTTTGTGCTTCAACCAAGGTGGAGTTTGCTCC
TGATATTGGCCTTCAATACAAAGGAGAGCTGACAGTGTGTTTACGTTACATTCACCCAGAGAGAACCTG
ATGCTTCCACCAGAACAACCTCCAAGGAAATAAGACTTTTTAAAAAGGAAAGAAGAAGGAGTACCTGTAA
TCTCTGGAGGAATACTAGAAGTGTTCATCAAAGAGGCAAAGAATTTGACAGCAGTGAAGTCAAGGAGCAC
TTCTGATAGCTTTGTGAAGGGCTACCTGCTCCCTGATGATAGCAAAGCCACCAAGCACAAAACCTCTGGTA
ATAAAAAAGAGTGTTAACCTCAGTGGAAATCATACATTGTTTCAAGTGGCATCCATCCCCAGGATATAA
AGAATGTTTGCCTAGAACTTACTATCTGGGACAAGGAGGCTTTTCCAGCAACATCTTTCTGGGAGGAGT
TCGTTTGAATTCGGAAGTGGTGTGAGCCATGGGAAGAACGTGGATTGGATGGACTCTCAGGGGGAAGAG
CAGCGCCTTTGGCAGAAGATGGCCAACAACCCTGGAACCTCCTTTGAGGGTGTACTCATGCTTCGTTCCA
GCATGGGAAAATGTAGGCTC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC228558 representing NM_001163335
Red=Cloning site Green=Tags(s)

```

MSKNSEFINLSFLLDHEKEMILGVLKRDEYLKKVEDKIRKLNELLEAKRRSGKTQQEASRVCVHCHRN
LGLIFDRGDPCQACSLRVCRECRVAGPNGSWKCTVCDKIAQLRIITGEWFFEEKAKRFKQVNVLGTDVVR
QSILRRSPGAEVQSQEQRQDAEKSDTSPVAGKKASHDGPKRKGFLLSKFRSATRGEIITPKTDTGRSY
SLDLDGQHFRLSLKSPPGSDRGSTGSSDLNDQEPGPRTPKSSRSNGVTPGTQSSPAPSTRVTSVISREYG
FENSMDLAAIEGTSQELTKSHRRNTSGTPSIAVSGTSLSSDQSRSELDLSESTEDSSTVIRSKSVPG
ALDKDSLSEETESIDALVSSQLSTNTHRLASGLSTTSLNSMMSVYSETGDYGNVKVSGEILLHISYCYKT
GGLYIFVKNCRNLAIGDEKKQRTDAYVKSYLELDPKSRNNKRKTKIRTGTNPEFNETLKYISHTQLETRT
LQLSVWHYDRFGRNSFLGEVEIPFDSWNFENPTDEWFLQPKVEFAPDIGLQYKQKELTVVLRYPPEENL
MLPPEQLQGNKTFKKGKKEKSPVISGGILEVFIKEAKNLTAVKSGGTSDFVKGYLLPDDSKATKHKTLV
IKKSVNPQWNHTFMFSGIHPQDIKNVCELELTIWDKEAFSSNIFLGGVRLNSGSGVSHGKNVDWMDSQGEE
QRLWQKMANNPGTPFEGVLMRSMGKCRLL
    
```



TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8021_c11.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_001163335


ORF Size: 2190 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001163335.2</u>
RefSeq Size:	4821 bp
RefSeq ORF:	2193 bp
Locus ID:	94122
UniProt ID:	<u>Q8TDW5</u>
Cytogenetics:	Xp11.4
MW:	81.5 kDa
Gene Summary:	<p>The protein encoded by this gene belongs to the synaptotagmin-like (Slp) protein family, which contains a unique homology domain at the N-terminus, referred to as the Slp homology domain (SHD). The SHD functions as a binding site for Rab27A, which plays a role in protein transport. Expression of this gene is restricted to placenta and liver, suggesting that it might be involved in Rab27A-dependent membrane trafficking in specific tissues. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2009]</p>

Product images:



Circular map for RC228558