

## Product datasheet for RC228633L4

#### OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## KDM4C (NM 001146694) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type: Expression Plasmids** 

**Product Name:** KDM4C (NM\_001146694) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: KDM4C

Synonyms: bA146B14.1; GASC1; JHDM3C; JMJD2C; TDRD14C

**Mammalian Cell** Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Sgfl-Mlul


E. coli Selection: Chloramphenicol (34 ug/mL)

The ORF insert of this clone is exactly the same as(RC228633). **ORF Nucleotide** 

Sequence:

**Restriction Sites: Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

ACCN: NM\_001146694

**ORF Size:** 3141 bp



### KDM4C (NM\_001146694) Human Tagged Lenti ORF Clone - RC228633L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001146694.1</u>, <u>NP 001140166.1</u>

 RefSeq ORF:
 3144 bp

 Locus ID:
 23081

 Cytogenetics:
 9p24.1

**Protein Families:** Druggable Genome, Transcription Factors

MW: 118.2 kDa


**Gene Summary:** This gene is a member of the Jumonji domain 2 (JMJD2) family. The encoded protein is a

trimethylation-specific demethylase, and converts specific trimethylated histone residues to the dimethylated form. This enzymatic action regulates gene expression and chromosome segregation. Chromosomal aberrations and changes in expression of this gene may be found in tumor cells. Alternative splicing results in multiple transcript variants. [provided by RefSeq,

Jan 2015]



# **Product images:**



Circular map for RC228633L4