

Product datasheet for RC228653L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

KCNMA1 (NM_001161353) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: KCNMA1 (NM_001161353) Human Tagged ORF Clone Lentiviral Particle

Symbol: KCNMA1

Synonyms: bA205K10.1; BKTM; CADEDS; hSlo; IEG16; KCa1.1; LIWAS; MaxiK; mSLO1; PNKD3; SAKCA; SLO;

SLO-ALPHA; SLO1

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM_001161353

ORF Size: 3657 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC228653).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 001161353.1</u>

 RefSeq ORF:
 3660 bp

 Locus ID:
 3778

 UniProt ID:
 Q12791

 Cytogenetics:
 10q22.3

Protein Families: Druggable Genome, Ion Channels: Potassium, Transmembrane

Protein Pathways: Vascular smooth muscle contraction







MW: 135.3 kDa

Gene Summary: MaxiK channels are large conductance, voltage and calcium-sensitive potassium channels

which are fundamental to the control of smooth muscle tone and neuronal excitability. MaxiK channels can be formed by 2 subunits: the pore-forming alpha subunit, which is the product of this gene, and the modulatory beta subunit. Intracellular calcium regulates the physical association between the alpha and beta subunits. Alternatively spliced transcript variants

encoding different isoforms have been identified. [provided by RefSeq, Jul 2008]