OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for RC228852

MIER1 (NM_001146113) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MIER1 (NM_001146113) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	MIER1
Synonyms:	ER1; MI-ER1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

ORF Nucleotide Sequence:

>RC228852 representing NM_001146113
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGCCAATTCATGAACTTCTCAGCCTTTATGGTTATGGTAGTACTGTTCGACTACCTGAAGAAGATGAGG
AAGAGGAAGAAGAGGAAGAAGAAGGTGAAGATGATGAAGATGCTGATAATGATGACAACAGTGGCTGTAG
TGGGGAAAATAAAGAGGAGAATATAAAGGATTCATCAGGTCAGGAGGATGAAACTCAGTCTTCCAATGAT
GATCCATCACAATCTGTTGCTTCTCAAGATGCCCAGGAAATAATCCGCCCACGTCGATGTAAATATTTTG
ATACAAATAGTGAAGTAGAAGAAGAATCTGAAGAAGATGAAGATTATATTCCATCAGAAGACTGGAAAAA
GGAGATTATGGTGGGCTCCATGTTTCAAGCAGAAATTCCAGTTGGCATTTGTAGATACAAAGAAAATGAA
AAAGTATATGAAAATGATGATCAGCTCCTGTGGGACCCTGAGTACTTACCAGAAGATAAAGTGATTATAT
TTCTTAAAGATGCATCTAGAAGAACAGGTGATGAGAAGGGTGTAGAAGCAATTCCTGAAGGATCTCACAT
AAAAGACAATGAACAGGCTTTATATGAATTGGTTAAATGCAATTTTGATACAGAAGAAGCATTGAGAAGA
TTAAGATTTAATGTAAAAGCAGCTAGAGAGGAATTATCTGTTTGGACAGAGGAAGAGTGTAGAAATTTTG
AACAAGGGCTGAAGGCCTATGGAAAGGATTTTCATTTGATTCAGGCTAATAAAGTCCGAACAAGGTCAGT
TGGTGAATGTGTAGCATTCTATTACATGTGGAAAAAATCTGAACGTTATGATTTCTTTGCTCAGCAAACA
CGATTTGGAAAGAAGAAATATAATCTTCATCCTGGTGTAACGGATTACATGGATCGTCTTCTAGACGAAA
GTGAAAGTGCTGCATCTAGTCGAGCACCATCCCCTCCCCCAACTGCATCAAACAGTAGTAACAGCCAGTC
TGAGAAAGAAGATGGCACTGTAAGCACTGCTAATCAAAATGGAGTGTCATCTAATGGACCAGGCATACTC
CAAATGCTTCTTCCAGTTCATTTTTCAGCCATCAGTTCAAGAGCCAATGCCTTTTTAAAA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

View online »

Protein Sequence:

>RC228852 representing NM_001146113
Red=Cloning site Green=Tags(s)

MPIHELLSLYGYGSTVRLPEEDEEEEEEEEEGEDDEDADNDDNSGCSGENKEENIKDSSGQEDETQSSND
DPSQSVASQDAQEIIRPRRCKYFDTNSEVEEESEEDEDYIPSEDWKKEIMVGSMFQAEIPVGICRYKENE
KVYENDDQLLWDPEYLPEDKVIIFLKDASRRTGDEKGVEAIPEGSHIKDNEQALYELVKCNFDTEEALRR
LRFNVKAAREELSVWTEEECRNFEQGLKAYGKDFHLIQANKVRTRSVGECVAFYYMWKKSERYDFFAQQT
RFGKKKYNLHPGVTDYMDRLLDESESAASSRAPSPPPTASNSSNSQSEKEDGTVSTANQNGVSSNGPGIL
QMLLPVHFSAISSRANAFLK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001146113

ORF Size: 1110 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:
1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: NM_001146113.1, NP_001139585.1

RefSeq ORF: 1113 bp

Locus ID: 57708

UniProt ID: Q8N108

Cytogenetics: 1p31.3

MW: 42 kDa

Gene Summary: This gene encodes a protein that was first identified in Xenopus laevis by its role in a mesoderm induction early response (MIER). The encoded protein functions as a transcriptional regulator. Alternatively spliced transcript variants encode multiple isoforms, some of which lack a C-terminal nuclear localization signal. [provided by RefSeq, May 2013]

Product images:



Circular map for RC228852