

Product datasheet for RC229011L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HIV TAT specific factor 1 (HTATSF1) (NM_001163280) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: HIV TAT specific factor 1 (HTATSF1) (NM_001163280) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: HIV TAT specific factor 1

Synonyms: dJ196E23.2; TAT-SF1; TATSF1

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC229011).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001163280

ORF Size: 2265 bp





HIV TAT specific factor 1 (HTATSF1) (NM_001163280) Human Tagged Lenti ORF Clone – RC229011L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001163280.1</u>, <u>NP 001156752.1</u>

 RefSeq Size:
 3037 bp

 RefSeq ORF:
 2268 bp

 Locus ID:
 27336

 UniProt ID:
 043719

 Cytogenetics:
 Xq26.3

Protein Families: Transcription Factors

MW: 85.9 kDa


Gene Summary: The protein encoded by this gene functions as a cofactor for the stimulation of transcriptional

elongation by HIV-1 Tat, which binds to the HIV-1 promoter through Tat-TAR interaction. This protein may also serve as a dual-function factor to couple transcription and splicing and to facilitate their reciprocal activation. Alternatively spliced transcript variants have been found

for this gene.[provided by RefSeq, Sep 2009]



Product images:



Circular map for RC229011L3