

### Product datasheet for RC229032L4

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

#### Mineralocorticoid Receptor (NR3C2) (NM\_001166104) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: Mineralocorticoid Receptor (NR3C2) (NM 001166104) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Mineralocorticoid Receptor

Synonyms: MCR; MLR; MR; NR3C2VIT

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

Sgfl-Mlul


E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC229032).

Sequence:

Restriction Sites: Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001166104

ORF Size: 2601 bp





# Mineralocorticoid Receptor (NR3C2) (NM\_001166104) Human Tagged Lenti ORF Clone - RC229032L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001166104.1, NP 001159576.1</u>

RefSeq ORF: 2604 bp Locus ID: 4306

UniProt ID: P08235

Cytogenetics: 4q31.23

**Protein Families:** Druggable Genome, Nuclear Hormone Receptor, Transcription Factors

**MW:** 94.2 kDa

**Gene Summary:** This gene encodes the mineralocorticoid receptor, which mediates aldosterone actions on

salt and water balance within restricted target cells. The protein functions as a ligand-

dependent transcription factor that binds to mineralocorticoid response elements in order to

transactivate target genes. Mutations in this gene cause autosomal dominant


pseudohypoaldosteronism type I, a disorder characterized by urinary salt wasting. Defects in this gene are also associated with early onset hypertension with severe exacerbation in

pregnancy. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Oct

2009]



## **Product images:**



Circular map for RC229032L4