

GTCTACCGTCCACCTAAACCCCATGCAGTTGATGACAGTGGATGCATCGCATGCTCGACATATTC AAGG
ATCCAGCCAGCACCCATCAGTACCCAGGGTATCCAGCCGCCGCCATTGGGACCCAGGGATACAGCCTG
CACCACCTTGGCACACAGGGAATTCAGTACAGCAACCCCAATCAACACACAAGGGCTTCAGCCTGCACCTAT
GGGTACTCAGCAGCCTCAGCCTGAAGGAAAAGACTTCAGCAGTGGTGTGGCAGATGGAGCCACAATTGTG
GCCAACCTATTAGCAATCCATTAGTGTCTGCCAGCAGCAACAACCGTGGTGCAGACCCACAGCCAGA
GTGCTAGCACCAACGCTCCCGCCAGGGCTCATCGCCACGGCCAAGCATACTCCGGAAGAAACCTGCCAC
AGATGGAATGGCAGTTTCGAAAACCCCTATTCTCTCAGCCTCCTGATGTTGCTAGTCTCGAGTGGAA
AGCTCTATGCGGAGTACGTCTGGGTACCTAGGCCTGCAGGTGCCAAACCAAGTCTGAAATCCACGTGT
CTATGGCCACTCCGGTCACTGTGTCCATGGAGACTGTATCCAATCAAAATATGATCAGCCTACCATTGC
CGTCCCTCCAAGTCCCAGCAGCCCCACCGACCATTCCAATATGATTGCAGCAGCCAGTCCCCCGTCA
CAACCAGCGTTGCCCTTTCAACCATTCTGGAGCGGTCCCCATCACTCCACCCATCACCACCATTGCAG
CTGCACCACCTCCATCAGTCACTGTGGGTGGCAGTCTTCTCCTCGTCTTGGGCCCTCCCGTTCTGAAAT
TAAAGTAAAGAAGAAGTAGAACCAATGGATATCATGAGGCCAGTTTCTGCAGTTCCTCCACTGGCTACC
AACACTGTGTCTCATCTCTTGATTGCTGGCAAACAATTGTCCATGCCTACAAGTGACCTACCACCTG
GTGCTCCCAAGGAAAAGCCTCGAAAGCAACAGCATGTGATCTCAACAGAAGAAGGTGACATGATGGA
GACAAACAGCACTGATGATGAGAAGTCCACTGCCAAGAGTCTTCTGGTGAAGGCTGAGAAGCGCAAGTCT
CCTCCCAAGGAGTATATTGATGAGGAAGGTGTGAGATATGTCCAGTGCCTCCAAGACCCCCCATTA
TGCTTCGTCACTATCGGAACCCCTGAAAAGCTGCTTACCACCCTTTAGAGGTACAGTGACGTCCGGGT
CAAAGAGGAGAAGAAAGCTATGCTGCAGGAAATAGCTAATCAGAAAGGAGTATCTGTCTGTCTCAAGGC
TGGAAAGTCCACCTCTGTGCTGCCAGTTACTACAGCTGACGAATCTAGAACATGATGTCTATGAAAGAC
TACTAACCTGCAGGAAGGATTATCCCAAGAAAAAGCAGCAACAGATGATGATCTCCACCGAATAAA
CGAACTGATACAGGAAATATGCAGAGGTGTAACCTTGTGATGGATCAATCAGTGAAGCCAGAGACTCC
ATGCTTAAGGTTTATGATCATAAAGACCGTGTCTGAAGCTGCTTAACAAGAACGGGACTGTCAAAAAG
TGTCCAAATTGAAGCGAAAGGAAAAAGTC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC229061 representing NM_001145928


Red=Cloning site Green=Tags(s)

MGPPRHPQAGEIEAGGAGGRRRLQVEMSSQQFPRLGAPSTGLSQAPSQIANSGSAGLINPAATVNDESGR
DSEVSAREHMSSSSLQSREEKQEPVVVRPYPQVQMLSTHHAVASATPVAVTAPPAHLTPAVPLSFSEGL
MKPPPKPTMPSRPIAPAPPSTLSLPPKVPQVTVTMESSIPQASAI PVATISGQQGHPSNLHHIMTTNVQ
MSIIRSNAPGPPPLHIGASHLPRGAAAAVMSSKVTTVLRPTSQLPNAATAQPAVQHIIHQPIQSRPPVT
TSNAIPPAVVATVSATRAQSPVITTTAAHATDSALSRPTLSIQHPPSAAISIQRPAQSRDVTTRITLPSH
PALGTPKQQLHTMAQKTI FSTGTPVAAATVAPILATNTIPSATTAGSVSHTQAPTSTIVTMTVPSSHSHA
TAVTTSNIPVAKVVPQQTHTSPRIQPDYPAERSSLIPISGHRASPNPVAMETRSDNRPSVPVQFYFLP
TYPPSAYPLAAHTYTPITSSVSTIRQYPVSAQAPNSAITAQTGVGVASTVHLNPMQLMTVDASHARHIQG
IQPAPISTQGIQPAPIGTPIQPAPLGTQGIHSATPINTQGLQPAPMGTQQPQPEGKTSAYVLADGATIV
ANPISNPFSAAPAATTVVQTHSQSASTNAPAQGS SPRPSILRKKPATDGMVVRKTLIPPQPPDVASPRVE
SSMRSTSGSPRPAGAKPKSEIHVSMATPVTVMETVSNQNDQPTIAVPPTAQPPPTIPTMIAAASPPS
QPAVALSTIPGAVPIPTPITTTIAAAPP SVTVGGSLSSVLGPPVPEIKVKEEVEPMDIMRPVSAPVPLAT
NTVSPSLALLANL SMPTSDLP GASPRKKPRKQHVISTEEDMMETNSTDDEKSTAKSLLVKAERKS
PPKEYIDEEGVRYVPVRPRPITLLRHYRNPWKAAHYHFRYSDVRVKEEKKAMLQEIANQKGVSCRAQG
WKVHLCAAQLQLTNLEHDVYERLTNLQEGIPKKKAATDDDLHRINELIQGNMQRCKLVMDQISEARDS
MLKVL DHKDRVLKLLNKGTVKKVSKLKRKEK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:


ACCN: NM_001145928

ORF Size: 3249 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.


RefSeq: [NM_001145928.2](#)

RefSeq ORF: 3252 bp

Locus ID: 79595

UniProt ID:	<u>Q9H0E3</u>
Cytogenetics:	2q14.3
MW:	113.8 kDa
Gene Summary:	SAP130 is a subunit of the histone deacetylase (see HDAC1; MIM 601241)-dependent SIN3A (MIM 607776) corepressor complex (Fleischer et al., 2003 [PubMed 12724404]).[supplied by OMIM, Mar 2008]

Product images:



Circular map for RC229061