

Product datasheet for RC229070L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Neurofascin (NFASC) (NM 001005388) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Neurofascin (NFASC) (NM_001005388) Human Tagged ORF Clone Lentiviral Particle

Symbol: NFASC

Synonyms: NEDCPMD; NF; NRCAML

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_001005388

ORF Size: 3720 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC229070).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 001005388.2, NP 001005388.2

 RefSeq Size:
 10351 bp

 RefSeq ORF:
 3723 bp

 Locus ID:
 23114

 UniProt ID:
 094856

Cytogenetics: 1q32.1

Protein Families: Transmembrane

Protein Pathways: Cell adhesion molecules (CAMs)





Neurofascin (NFASC) (NM_001005388) Human Tagged ORF Clone Lentiviral Particle – RC229070L4V

MW: 138.1 kDa

Gene Summary:

This gene encodes an L1 family immunoglobulin cell adhesion molecule with multiple IGcam and fibronectin domains. The protein functions in neurite outgrowth, neurite fasciculation, and organization of the axon initial segment (AIS) and nodes of Ranvier on axons during early development. Both the AIS and nodes of Ranvier contain high densities of voltage-gated Na+ (Nav) channels which are clustered by interactions with cytoskeletal and scaffolding proteins including this protein, gliomedin, ankyrin 3 (ankyrin-G), and betaIV spectrin. This protein links the AIS extracellular matrix to the intracellular cytoskeleton. This gene undergoes extensive alternative splicing, and the full-length nature of some variants has not been determined. [provided by RefSeq, May 2009]