

#### Product datasheet for RC229449L1

## Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

EU: info-de@origene.com CN: techsupport@origene.cn

## Intersectin 2 (ITSN2) (NM\_006277) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Tag: Myc-DDK

Symbol: Intersectin 2

**Synonyms:** PRO2015; SH3D1B; SH3P18; SWA; SWAP

Mammalian Cell None

Selection:

**Vector:** pLenti-C-Myc-DDK (PS100064)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(RC229449).

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 



|  |        |                    | Kozak<br>Consensus |             |
|--|--------|--------------------|--------------------|-------------|
| EcoR I   | BamH I | RBS                | Sgf I              | ORF         |
| CTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGC C ATG             |        |                    |                    |             |
|  |        |                    |                    |             |
|  | Mlu I  | Not I <u>Xho I</u> | Myc.Tag            |             |
| NNŇ  |        | CGG CCG CTC GAG    | CAG AAA CTC ATC    | TCA GAA GAG |
|  | TRT    | R P L <u>E</u>     | QKLI               | S E E       |
| DDK.Tag  |        |                    |                    |             |
| GAT CTG GCA GCA AAT GAT ATC CTG GAT TAC AAG GAT GAC GAC GAT AAG GTT TAA ACGGCCGGCC |        |                    |                    |             |
| DL AANDI   | L DYK  | D D D D K          | V Stop             |             |

st The last codon before the Stop codon of the ORF.

**ACCN:** NM\_006277

ORF Size: 5091 bp





#### Intersectin 2 (ITSN2) (NM\_006277) Human Tagged Lenti ORF Clone | RC229449L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

**RefSeq:** <u>NM\_006277.2</u>

RefSeq ORF: 5094 bp

**Locus ID:** 50618

UniProt ID: Q9NZM3

Cytogenetics: 2p23.3

**Protein Families:** Druggable Genome


**MW:** 193.3 kDa

Gene Summary: This gene encodes a cytoplasmic protein which contains SH3 domains. This protein is a


member of a family of proteins involved in clathrin-mediated endocytosis. Intersectin 2 is thought to regulate the formation of clathrin-coated vesicles and also may function in the induction of T cell antigen receptor (TCR) endocytosis. [provided by RefSeq, Jan 2017]



# **Product images:**



Circular map for RC229449L1



Double digestion of RC229449L1 using Sgfl and Mlul