

Product datasheet for RC229582

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Claudin 7 (CLDN7) (NM 001185023) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Claudin 7 (CLDN7) (NM 001185023) Human Tagged ORF Clone

Tag: Myc-DDK Claudin 7 Symbol:

Synonyms: CEPTRL2; claudin-1; CLDN-7; CPETRL2; Hs.84359

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-Entry (PS100001) E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >RC229582 representing NM_001185023 Red=Cloning site Blue=ORF Green=Tags(s) Sequence:

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCCAATTCGGGCCTGCAGTTGCTGGGCTTCTCCATGGCCCTGCTGGGCTGGGTTGGGTTGGTGGCCT GCACCGCCATCCCGCAGTGGCAGATGAGCTCCTATGCGGGTGACAACATCATCACGGCCCAGGCCATGTA CAAGGGGCTGTGGATGGACTGCGTCACGCAGAGCACGGGGATGATGAGCTGCAAAATGTACGACTCGGTG CTCGCCCTGTCCGCGGCCTTGCAGGCCACTCGAGCCCTAATGGTGGTCTCCCTGGTGCTGGGCTTCCTGG CCATGTTTGTGGCCACGATGGGCATGAAGTGCACGCGCTGTGGGGGAGACGACAAAGTGAAGAAGGCCCG TATAGCCATGGGTGGAGGCATAATTTTCATCGTGGCAGGTATGAGTTTGGCCCTGCCATCTTTATTGGCT GGGCAGGGTCTGCCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

>RC229582 representing NM_001185023 **Protein Sequence:**

Red=Cloning site Green=Tags(s)

MANSGLQLLGFSMALLGWVGLVACTAIPQWQMSSYAGDNIITAQAMYKGLWMDCVTQSTGMMSCKMYDSV LALSAALQATRALMVVSLVLGFLAMFVATMGMKCTRCGGDDKVKKARIAMGGGIIFIVAGMSLALPSLLA

GQGLP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


https://cdn.origene.com/chromatograms/ja1431 a07.zip **Chromatograms:**




ORIGENE

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001185023

ORF Size: 435 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001185023.1</u>, <u>NP 001171952.1</u>

RefSeq ORF: 438 bp Locus ID: 1366



UniProt ID: <u>095471</u> Cytogenetics: 17p13.1

Protein Families: Transmembrane

Protein Pathways: Cell adhesion molecules (CAMs), Leukocyte transendothelial migration, Tight junction

MW: 15.6 kDa


Gene Summary: This gene encodes a member of the claudin family. Claudins are integral membrane proteins

and components of tight junction strands. Tight junction strands serve as a physical barrier to

prevent solutes and water from passing freely through the paracellular space between epithelial or endothelial cell sheets, and also play critical roles in maintaining cell polarity and signal transductions. Differential expression of this gene has been observed in different types of malignancies, including breast cancer, ovarian cancer, hepatocellular carcinomas, urinary tumors, prostate cancer, lung cancer, head and neck cancers, thyroid carcinomas, etc... Alternatively spliced transcript variants encoding different isoforms have been found.


[provided by RefSeq, May 2010]

Product images:



Circular map for RC229582





Western blot validation of overexpression lysate (Cat# [LY432582]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC229582 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).