

Product datasheet for RC229589L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Caveolin 1 (CAV1) (NM_001172895) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Caveolin 1 (CAV1) (NM_001172895) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: Caveolin 1

Synonyms: BSCL3; CGL3; LCCNS; MSTP085; PPH3; VIP21

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC229589).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001172895

ORF Size: 534 bp



Caveolin 1 (CAV1) (NM_001172895) Human Tagged Lenti ORF Clone - RC229589L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001172895.1

RefSeq ORF: 444 bp Locus ID: 857 Cytogenetics: 7q31.2

Protein Families: Druggable Genome, Transmembrane

Protein Pathways: Focal adhesion, Viral myocarditis

MW: 20.47 kDa


Gene Summary: The scaffolding protein encoded by this gene is the main component of the caveolae plasma

membranes found in most cell types. The protein links integrin subunits to the tyrosine kinase FYN, an initiating step in coupling integrins to the Ras-ERK pathway and promoting cell cycle progression. The gene is a tumor suppressor gene candidate and a negative regulator of the Ras-p42/44 mitogen-activated kinase cascade. Caveolin 1 and caveolin 2 are located next to each other on chromosome 7 and express colocalizing proteins that form a stable hetero-oligomeric complex. Mutations in this gene have been associated with Berardinelli-Seip congenital lipodystrophy. Alternatively spliced transcripts encode alpha and beta isoforms of


caveolin 1.[provided by RefSeg, Mar 2010]



Product images:



Circular map for RC229589L1



Double digestion of RC229589L1 using Sgfl and Mlul $\,$