

#### **Product datasheet for RC229655**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CT45A5 (NM\_001172288) Human Tagged ORF Clone

**Product data:** 

**Product Type: Expression Plasmids** 

Myc-DDK Tag:

Symbol: CT45A5

Synonyms: CT45-3; CT45-4; CT45-6; CT45.5; CT45A3; CT45A4; CT45A6; CT45A7; CT455

**Mammalian Cell** Neomycin

Selection:

pCMV6-Entry (PS100001) Vector:

Kanamycin (25 ug/mL) E. coli Selection:

ORF Nucleotide Sequence: >RC229655 representing NM\_001172288

Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGACCGATAAAACAGAGAAGGTGGCTGTAGATCCTGAAACTGTGTTTAAACGTCCCAGGGAATGTGACA GTCCTTCGTATCAGAAAAGGCAGAGGATGGCCCTGTTGGCAAGGAAACAAGGAGCAGGAGACAGCCTTAT TGCAGGCTCTGCCATGTCCAAAGAAAGAAGCTTATGACAGGACATGCTATTCCACCCAGCCAATTGGAT TCTCAGATTGATGACTTCACTGGTTTCAGCAAAGATGGGATGATGCAGAAACCTGGTAGCAATGCACCTG TGGGAGGAAATGTTACCAGCAATTTCTCTGGAGATGACCTAGAATGCAGAGGAATAGCCTCCTCTCCCAA AAGCCAACAAGAAATTAATGCTGATATAAAATGTCAAGTAGTGAAGGAAATCCGATGCCTTGGACGAAAA TATGAAAAAATCTTCGAAATGCTTGAAGGAGTGCAAGGACCTACTGCAGTCAGGAAACGATTTTTTGAAT CCATCATCAAGGAAGCAGCAAGATGTATGAGACGAGACTTTGTTAAGCACCTTAAGAAGAAACTGAAACG **TATGATT** 

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

>RC229655 representing NM\_001172288 **Protein Sequence:** 

Red=Cloning site Green=Tags(s)

MTDKTEKVAVDPETVFKRPRECDSPSYQKRQRMALLARKQGAGDSLIAGSAMSKEKKLMTGHAIPPSQLD SQIDDFTGFSKDGMMQKPGSNAPVGGNVTSNFSGDDLECRGIASSPKSQQEINADIKCQVVKEIRCLGRK

YEKIFEMLEGVQGPTAVRKRFFESIIKEAARCMRRDFVKHLKKKLKRMI

TRTRPLEQKLISEEDLAANDILDYKDDDDKV




**OR**iGENE

Chromatograms: <a href="https://cdn.origene.com/chromatograms/ja1447\_h04.zip">https://cdn.origene.com/chromatograms/ja1447\_h04.zip</a>

Restriction Sites:

Sgfl-Mlul

**Cloning Scheme:** 



CTA TAGGGCGGCC GGG.	EcoRI AATTOGTOG		HI Kpn I CCGGTAC	RBS CGAGGAGA	rctgo	Con	ozac sensu Sg GGA	fl	C A	TG -		
ORF	NNN	Miu I ACG CGT T R		G CCG CT	C GAG	CAG Q	AAA K	-	.Tag : ATC	TCA S	GAA E	GAG E
GAT CTG GCA GCA	AAT GAT A	V ATC CTG	GAT TAC	Flag.Tag AAG GAT K D	GAC D	GAC (	⊋AT .	AAG K	GTT	me I	ACGGG	se I

<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001172288

ORF Size: 567 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.



#### CT45A5 (NM\_001172288) Human Tagged ORF Clone | RC229655

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

**RefSeq:** <u>NM\_001172288.1</u>, <u>NP\_001165759.1</u>

RefSeq ORF: 570 bp

**Locus ID:** 441521

UniProt ID: Q6NSH3

Cytogenetics: Xq26.3


**MW:** 21.7 kDa

Gene Summary: This gene represents one of a cluster of several similar genes located on the q arm of

chromosome X. The genes in this cluster encode members of the cancer/testis (CT) family of antigens, and are distinct from other CT antigens. These antigens are thought to be novel therapeutic targets for human cancers. Alternative splicing results in multiple transcript


variants. [provided by RefSeq, Apr 2014]


# **Product images:**



Circular map for RC229655







Western blot validation of overexpression lysate (Cat# [LY432655]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from un-transfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC229655 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).

Coomassie blue staining of purified CT45A5 protein (Cat# [TP329655]). The protein was produced from HEK293T cells transfected with CT45A5 cDNA clone (Cat# RC229655) using MegaTran 2.0 (Cat# [TT210002]).