

Product datasheet for RC229677

Galectin 3 (LGALS3) (NM_001177388) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Galectin 3 (LGALS3) (NM_001177388) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: Galectin 3
Synonyms: CBP35; GAL3; GALBP; GALIG; L31; LGALS2; MAC2
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC229677 representing NM_001177388
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCCGCATCGCC

ATGGCAGACAATTTTTCGCTCCATGATGCGTTATCTGGTCTGGAAACCCAAACCCTCAAGGATGGCCTG
 GCGCATGGGGGAACAGCCTGCTGGGGCAGGGGCTACCCAGGGGCTTCATCTGGGGCTACCCCGG
 GCAGGCACCCCGAGGGCTTATCTGGACAGGCACCTCCAGGCGCTACCTGGAGCACCTGGAGCTTAT
 CCCGGAGCACCTGCACCTGGAGTCTACCCAGGGCCACCCAGCGCCCTGGGGCTACCCATCTTCTGGAC
 AGCCAAGTGCCACCGAGCCTACCTGCCACTGGCCCTATGGCGCCCTGCTGGGCCACTGATTGTGCC
 TTATAACCTGCCTTTGCCTGGGGGAGTGGTGCCTCGCATGCTGATAACAATTCTGGGCACGGTGAAGCCC
 AATGCAAACAGAATTGCTTTAGATTTCCAAAGAGGGAATGATGTTGCCTTCCACTTTAACCCACGCTTCA
 ATGAGAACAACAGGAGAGTCATTGTTGCACTTACATGTGTAAGGTTTCATGTTCACTGTGAGTGAAAA
 TTTTACATTCATCAATATCCCTCTTGAAGTCATCTACT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC229677 representing NM_001177388
 Red=Cloning site Green=Tags(s)

MADNFSLHDALSGSGNPNPQGWPGAWGNQFAGAGGYPGASYPGAYPGQAPPAYPGQAPPAYPGAPGAY
 PGAPAPGVYPPSPGPGAYPSSGQPSATGAYPATGPYAPAGPLIVPYNLPLPGGVVPRMLITILGTVKP
 NANRIALDFQRGNDVAFHFNPRFNENRRVIVCTYMCKGFMFTVSENFYIHQYPSCKSSST

TRTRPLEQKLISEEDLAANDILDYKDDDDKV



[View online »](#)

Chromatograms: https://cdn.origene.com/chromatograms/ja3211_e01.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001177388

ORF Size: 600 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001177388.1](#), [NP_001170859.1](#)

RefSeq Size: 744 bp

RefSeq ORF: 603 bp

Locus ID: 3958


Cytogenetics: 14q22.3

Protein Families: Secreted Protein

MW: 20.5 kDa

Gene Summary: This gene encodes a member of the galectin family of carbohydrate binding proteins. Members of this protein family have an affinity for beta-galactosides. The encoded protein is characterized by an N-terminal proline-rich tandem repeat domain and a single C-terminal carbohydrate recognition domain. This protein can self-associate through the N-terminal domain allowing it to bind to multivalent saccharide ligands. This protein localizes to the extracellular matrix, the cytoplasm and the nucleus. This protein plays a role in numerous cellular functions including apoptosis, innate immunity, cell adhesion and T-cell regulation. The protein exhibits antimicrobial activity against bacteria and fungi. Alternate splicing results in multiple transcript variants.[provided by RefSeq, Oct 2014]

Product images:



Circular map for RC229677