

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC229721L4V

CINP (NM_001177611) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	CINP (NM_001177611) Human Tagged ORF Clone Lentiviral Particle
Symbol:	CINP
Synonyms:	MGC849
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_001177611
ORF Size:	681 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC229721).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001177611.1, NP 001171082.1</u>
RefSeq ORF:	683 bp
Locus ID:	51550
Cytogenetics:	14q32.31
Protein Families:	Druggable Genome
MW:	26.5 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	CINP (NM_001177611) Human Tagged ORF Clone Lentiviral Particle – RC229721L4V
Gene Summary:	The protein encoded by this gene is reported to be a component of the DNA replication
	complex as well as a genome-maintenance protein. It may interact with proteins important
	for replication initiation and has been shown to bind chromatin at the G1 phase of the cell

multiple transcript variants. [provided by RefSeq, Feb 2016]

cycle and dissociate from chromatin with replication initiation. It may also serve to regulate checkpoint signaling as part of the DNA damage response. Alternative splicing results in

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US