

## **Product datasheet for RC229788**

## DMAC2 (NM 001167867) Human Tagged ORF Clone

## **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** DMAC2 (NM\_001167867) Human Tagged ORF Clone

Tag:Myc-DDKSymbol:DMAC2Synonyms:ATP5SL

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC229788 representing NM\_001167867
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com Protein Sequence: >RC229788 representing NM\_001167867

Red=Cloning site Green=Tags(s)

MWDLVLEDRRMNSLRLVAPMWNGRIRGIHRLGAAVAPEGNQKKKRTILQFLTNYFYDVEALRDYLLQREM YKVHEKNRSYTWLEKQHGPYGAGAFFILKQGGAVKFRDKEWIRPDKYGHFSQEFWNFCEVPVEAVDAGDC DINYEGLDNLLRLKELQSLSLQRCCHVDDWCLSRLYPLADSLQELSLAGCPRISERGLACLHHLQNLRRL DISDLPAVSNPGLTQILVEEMLPNCEVVGVDWAEGLKSGPEEQPRDTASPVPA


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** 

Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001167867

ORF Size: 789 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:customercom">customercom</a> or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info

variants is recommended prior to use. <u>More limb</u>

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001167867.2</u>

 RefSeq ORF:
 792 bp

 Locus ID:
 55101

 UniProt ID:
 Q9NW81

 Cytogenetics:
 19q13.2


 MW:
 30.6 kDa

**Gene Summary:** Required for the assembly of the mitochondrial NADH:ubiquinone oxidoreductase complex

(complex I). Involved in the assembly of the distal region of complex I.[UniProtKB/Swiss-Prot

Function]

## **Product images:**



Circular map for RC229788