

## Product datasheet for RC229848L3

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## p53R2 (RRM2B) (NM\_001172478) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: p53R2 (RRM2B) (NM\_001172478) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: p53R2

Synonyms: MTDPS8A; MTDPS8B; P53R2

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC229848).

Sequence:

Restriction Sites: Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_001172478

ORF Size: 897 bp





#### p53R2 (RRM2B) (NM\_001172478) Human Tagged Lenti ORF Clone - RC229848L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001172478.1</u>

 RefSeq ORF:
 900 bp

 Locus ID:
 50484

 UniProt ID:
 Q7LG56

 Cytogenetics:
 8q22.3

**Protein Families:** Druggable Genome, Transmembrane

**Protein Pathways:** Glutathione metabolism, Metabolic pathways, p53 signaling pathway, Purine metabolism,

Pyrimidine metabolism

**MW:** 35 kDa

**Gene Summary:** This gene encodes the small subunit of a p53-inducible ribonucleotide reductase. This


heterotetrameric enzyme catalyzes the conversion of ribonucleoside diphosphates to deoxyribonucleoside diphosphates. The product of this reaction is necessary for DNA synthesis. Mutations in this gene have been associated with autosomal recessive mitochondrial DNA depletion syndrome, autosomal dominant progressive external

ophthalmoplegia-5, and mitochondrial neurogastrointestinal encephalopathy. Alternatively

spliced transcript variants have been described.[provided by RefSeq, Feb 2010]



# **Product images:**



Circular map for RC229848L3