

Product datasheet for RC229912L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PPAR delta (PPARD) (NM_001171820) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PPAR delta (PPARD) (NM_001171820) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: PPAR delta

Synonyms: FAAR; NR1C2; NUC1; NUCI; NUCI; PPARB

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC229912).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001171820

ORF Size: 1029 bp





PPAR delta (PPARD) (NM_001171820) Human Tagged Lenti ORF Clone - RC229912L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001171820.1</u>, <u>NP 001165291.1</u>

Q03181

 RefSeq ORF:
 1032 bp

 Locus ID:
 5467

Cytogenetics: 6p21.31

UniProt ID:

Protein Families: Druggable Genome, Nuclear Hormone Receptor, Transcription Factors

Protein Pathways: Acute myeloid leukemia, Pathways in cancer, PPAR signaling pathway, Wnt signaling pathway

MW: 39.3 kDa

Gene Summary: This gene encodes a member of the peroxisome proliferator-activated receptor (PPAR) family.

The encoded protein is thought to function as an integrator of transcriptional repression and

nuclear receptor signaling. It may inhibit the ligand-induced transcriptional activity of


peroxisome proliferator activated receptors alpha and gamma, though evidence for this effect

is inconsistent. Expression of this gene in colorectal cancer cells may be variable but is typically relatively low. Knockout studies in mice suggested a role for this protein in myelination of the corpus callosum, lipid metabolism, differentiation, and epidermal cell proliferation. Alternative splicing results in multiple transcript variants encoding distinct

protein isoforms. [provided by RefSeq, Aug 2017]



Product images:



Circular map for RC229912L4