

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC229989L1V

AMACR (NM_001167595) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	AMACR (NM_001167595) Human Tagged ORF Clone Lentiviral Particle
Symbol:	AMACR
Synonyms:	AMACRD; CBAS4; P504S; RACE; RM
Mammalian Cell Selection:	None
Vector:	pLenti-C-Myc-DDK (PS100064)
Tag:	Myc-DDK
ACCN:	NM_001167595
ORF Size:	1182 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC229989).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001167595.1</u>
RefSeq ORF:	1185 bp
Locus ID:	23600
UniProt ID:	<u>Q9UHK6</u>
Cytogenetics:	5p13.2
Protein Families:	Druggable Genome
Protein Pathways:	Metabolic pathways, Primary bile acid biosynthesis
MW:	44.3 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:This gene encodes a racemase. The encoded enzyme interconverts pristanoyl-CoA and C27-
bile acylCoAs between their (R)- and (S)-stereoisomers. The conversion to the (S)-
stereoisomers is necessary for degradation of these substrates by peroxisomal beta-
oxidation. Encoded proteins from this locus localize to both mitochondria and peroxisomes.
Mutations in this gene may be associated with adult-onset sensorimotor neuropathy,
pigmentary retinopathy, and adrenomyeloneuropathy due to defects in bile acid synthesis.
Alternatively spliced transcript variants have been described. Read-through transcription also
exists between this gene and the upstream neighboring C1QTNF3 (C1q and tumor necrosis
factor related protein 3) gene. [provided by RefSeq, Mar 2011]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US