

## Product datasheet for **RC230552**

### **BCAR1 (NM\_001170718) Human Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	BCAR1 (NM_001170718) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	BCAR1
Synonyms:	CAS; CAS1; CASS1; CRKAS; P130Cas
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RC230552 representing NM\_001170718  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGTCCGTGCCTAACGTGCTGGCCAAAGCGCTCTATGACAATGTGGCCGAGTCCCCGGATGAGCTCTCCT  
 TCCGCAAGGGTGACATCATGACGGTGTGGAGCAGGACACGCAGGGCCTGGACGGCTGGTGGCTCTGCTC  
 GCTGCATGGGCGCCAGGGCATCGTGCTGGGAACCGCCTCAAGATCTTGGTGGGCATGTATGATAAGAAG  
 CCAGCAGGGCCTGGCCCCGGCCCTCCCGCCACCCCGGCCAGCCTCAGCCTGGCCTCCATGCCCCAGCGC  
 CTCGGCCTCCCAGTACACGCCATGCTCCCAACACCTACCAGCCCAGCCAGACAGCGTCTACCTGGT  
 GCCACTCCCAGCAAGGCTCAGCAAGGCCTCTACCAAGTCCCGGTCCAGCCCTCAGTTCAGTCTCCC  
 CCAGCCAAGCAGACATCCACCTTCTCGAAGCAGACACCCATCACCCGTTTCCAGCCCGGCCACAGACC  
 TGTACCAGGTGCCCCAGGGCCTGGAGGCCCTGCCAGGATATTTACCAGGTGCCACCTTCTGCCGGAT  
 GGGCATGACATCTACCAGTCCCCCGTCCATGGACACACGCAGCTGGGAGGGCAGCAAGCCCCGGCA  
 AAGGTGGTGGTGCCACCCGCGTGGGGCAGGGCTATGTATACGAGCCGCCAGCCGGAGCAGGACGAGT  
 ACGACATCCCGCGACACCTGCTGGCCCCGGGGCCACAGGACATCTATGATGTGCCCCGGTTCGGGGCT  
 GCTTCCAGCCAGTATGGCCAGGAGGTGTATGACACACCCCCATGGCTGTCAAGGGTCCCAATGGCCGA  
 GACCCGTTGCTGGAGGTGTATGACGTGCCCCCAAGTGTGGAGAAGGGCCTGCCACCGTCCAACCACACG  
 CAGTCTACGACGTTCTCCATCGGTGAGCAAGGATGTGCCGATGGCCACTGCTGCGTGAGGAGACCTA  
 CGATGTGCCCCCGCCTTCGCCAAGGCCAAGCCCTTTGACCCGGCCCGCACCCCACTGGTACTGGCTGCG  
 CCCCCCAGACTCCCCCGCCGGCCGAGGACGTGTATGACGTGCCCCCGCCGCTCCTGACCTCTACGACG  
 TGGCTGGCTGGTGGCGGCTGGCCCCGGCACCTGTACGATGTGCCCGTGAACCGGCTTCTCTCC  
 TGAGGTGGCTGATGGTGGCGTGGTCGACAGTGGTGTATGCGGTGCCTCCCCAGCTGAACGTGAAGCC  
 CCGGCAGAGGGCAAGCGCCTGTGGCCTCCAGCACCGGCAGCACAGCAGCAGCCAGTCTGCGTCTCCT  
 TGGAGGTGGCAGGGCCGGGCCGGAACCCCTGGAGCTGGAAGTTGCTGTGGAGGCCCTGGCACGGCTGCA  
 GCAGGGTGTGAGCGCCACCGTTGCCACCTTCTGGACCTGGCAGGCAGCGCCGGTGCAGTGGGAGCTGG  
 CGTAGCCCTCTGAGCCACAGGAGCCGCTGGTGCAGGACCTGCAGGCTGCTGTGGCCGCTGTCCAGAGT  
 CCGTCCACGAGCTGTTGGAGTTTGGCCGAGCGCGGTGGCAATGCTGCCACACATCTGACCGTGCCT  
 GCATGCCAAGCTTAGCCGGCAGTGCAGAAGATGGAGGACGTGCACCAGACGCTGGTGGCACATGGTCAG  
 GCCCTCGACGCTGGCCGGGAGGCTCTGGAGCCACCTTGGAGACCTGGACCGGCTGGTGGCCTGCTCGC  
 GGGCTGTGCCCGAGGACGCCAAGCAGCTGGCCTCCTTCTGCACGCAATGCCTCACTGCTTTCAGACG  
 GACCAAGGCCACTGCCCCGGGGCCTGAGGGGGTGGCACCTGCACCCCAACCCCACTGACAAGACCAGC  
 AGCATCCAGTACGACCCCTGCCCTCACCCCTAAGTTCACCTCCAGGACTCGCCAGATGGGCAGTACG  
 AGAACAGCGAGGGGGGCTGGATGGAGGACTATGACTACGTCCACCTACAGGGGAAGGAGGAGTTTGAAA  
 GACCCAGAAGGAGCTGTGAAAAGGGCAGCATCACGCGGCAGGGCAAGAGCCAGCTGGAGTTGCAGCAG  
 CTGAAGCAGTTTGAACGACTGGAACAGGAGGTGTACGGCCCATAGACCACGACCTGGCCAACTGGACGC  
 CAGCCAAACCCCTGGCCCCGGGGCAACAGGCGGCTGGGGCCCTCGGACCGGACGCTGCTGCTCTTA  
 CCTGGAGCAGTGTGAGGCCAACCTGACCACACTGACCAACGCGCTGGAGCGCTTTACCGCGTGGCC  
 ACCAACAGCCGCCAAGATCTTTGTGGCGCACAGCAAGTTTCGTATCCTCAGCGCCACAAGCTGGTGT  
 TCATCGGGGACACACTGTACGGCAGGCCAAGGCTGCTGACGTGCGCAGCCAGGTGACCCACTACAGCAA  
 CCTGCTGTGCGACCTCTGCGCGGCATCGTGGCCACCACCAAGGCCGCTGCCTTGCAGTACCCATCGCCT  
 TCCGCGGCCAGGACATGGTGGAGAGGGTCAAGGAGCTGGGCCACAGCACCCAGCAGTTCGCCCGCTCC  
 TAGGCCAGCTGGCAGCCGCC

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC230552 representing NM\_001170718  
Red=Cloning site Green=Tags(s)

```

MSVPNVLAKALYDNVAESPDEL SFRKGDIMTVLEQDTQGLDGWWLCSLHGRQGI VPGNRLKILVGM YDKK
PAGPGGPPATPAQPQGLHAPAPPASQYTPMLPNTYQPQDSVYL VTPPSKAQQGLYQVPGSPQFQSP
PAKQTSTFSKQTPHHFPSPATDLYQVPPGGGPAQDIYQVPPSAGMGHDYQVPPSMDTRSWEGTKPPA
KVVVPTRVGGYVYEA AQPEQDEYDIPRHLLAPGPQDIYDVPPVRGLLPSQYQVEVYDTPPMAVKGPNGR
DPLLEVYDVPPSVEKGLPPSNHHAVYDVPPSVSKDVPDGP LLREETYDVPPAFAKAKPFDPARTPLVLA A
PPPDSPPAEDVYVPPPAPDLYDVPPGLRRPGGTLYDVPRERVL PPEVADGGVVDSGVYAVPPAEREA
PAEGKRLSASSTGSTRSSQSASSLEVAGPGREPLELEVAVEALARLQQGVSATVAHLLDLAGSAGATGSW
RSPSEPQEPLVQDLQA AVAAVQSAVHELLEFARS AVGNAHTSDRALHAKLSRQLQKMEDVHQT LVAHGQ
ALDAGRGGSGATLEDL DRLVACSRAPEDAQLASFLHGNASLLFRRTKATAPGPEGGTLHPNPTDKTS
SIQSRPLSPPKFTSQD SPDGQYENSEGGWMEYDYVHLQ GKKEEFKTKELLEKGSITRQGSQLELQQ
LKQFERLEQEVS RPIDHDLANWTPAQPLAPGRTGGLGPSDRQLLLFYLEQCEANL TLTNAVDAFFTAVA
TNQPPKIFVAHSKFVILSAHKL VFIGDLSRQAKAADVRSQVTHYSNLLCDLLRGIVATTKAAALQYPS
SAAQDMVERVKELGHSTQQFRRVLGQLAAA
    
```

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:**


SgfI-MluI

**Cloning Scheme:**



<b>ACCN:</b>	NM_001170718
<b>ORF Size:</b>	2610 bp
<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001170718.3</a>
<b>RefSeq ORF:</b>	2613 bp
<b>Locus ID:</b>	9564
<b>UniProt ID:</b>	<a href="#">P56945</a>
<b>Cytogenetics:</b>	16q23.1
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Chemokine signaling pathway, Focal adhesion, Leukocyte transendothelial migration, Regulation of actin cytoskeleton
<b>MW:</b>	93.7 kDa
<b>Gene Summary:</b>	The protein encoded by this gene is a member of the Crk-associated substrate (CAS) family of scaffold proteins, characterized by the presence of multiple protein-protein interaction domains and many serine and tyrosine phosphorylation sites. The encoded protein contains a Src-homology 3 (SH3) domain, a proline-rich domain, a substrate domain which contains 15 repeat of the YxxP consensus phosphorylation motif for Src family kinases, a serine-rich domain, and a bipartite Src-binding domain, which can bind both SH2 and SH3 domains. This adaptor protein functions in multiple cellular pathways, including in cell motility, apoptosis and cell cycle control. Dysregulation of this gene can have a wide range of effects, affecting different pathways, including cardiac development, vascular smooth muscle cells, liver and kidney function, endothelial migration, and cancer. [provided by RefSeq, Sep 2017]

Product images:



Circular map for RC230552