

## Product datasheet for **RC230569**

### Alpha Dystroglycan (DAG1) (NM\_001177640) Human Tagged ORF Clone

#### Product data:

|                           |   |
|---------------------------|---|
| Product Type:             | Expression Plasmids   |
| Product Name:             | Alpha Dystroglycan (DAG1) (NM_001177640) Human Tagged ORF Clone |
| Tag:                      | Myc-DDK   |
| Symbol:                   | Alpha Dystroglycan  |
| Synonyms:                 | 156DAG; A3a; AGRNR; DAG; LGMDR16; MDDGA9; MDDGC7; MDDGC9        |
| Mammalian Cell Selection: | Neomycin  |
| Vector:                   | pCMV6-Entry (PS100001)  |
| E. coli Selection:        | Kanamycin (25 ug/mL)  |



[View online »](#)

**ORF Nucleotide Sequence:**

>RC230569 ORF sequence  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGAGGATGTCTGTGGGCTCTCGTGTCTGCCCTCTGGGGAGGACCTTTCTCCTCTGCTCTCTG  
 TGGTTATGGCTCAGTCCCACTGGCCAGTGAACCTCAGAGGCTGTGAGGACTGGGAAAACAGCTTGA  
 GGCATCCATGCACTCAGTGTCTCAGACCTCCACGAGGCTGTTCCACAGTGGTTGGCATTCTGATGGC  
 ACGGCTGTCTGCGGGCGCTCATTTGAGTGACCATTCCAACAGATTTGATTGCCTCCAGTGGAGATATCA  
 TCAAGGTATCAGCGGCAGGAAGGAGGCTTTGCCATCTGGCTGCACTGGGACTCACAGAGCCACACCT  
 GGAGGGCTCCCCCTTGACACTGATAAGGGTGTGCATTACATTTAGTGAGCGCTACACGGCTGGGGGCC  
 AACGGGAGCCACATCCCCAGACCTCCAGTGTGTTCTCCATCGAGGCTACCTGAAGACCACAGTGAGC  
 TGCAGTCGGTGGGACAGCTCCCCAGACCTGGTGGTGGTATCATCTGCCTGTGCTGCGGATGAACC  
 TGTGACTGTTTTGACGGTGATTTGGATGCCGACCTACCAAGATGACCCAAAGCAAAGGATTGACCTC  
 CTGCACAGGATCGGGAGCTTCTCAGAAGTAGAGCTTACAACATGAAATTAAGTCCGGTGGTGAATAACA  
 GACTATTTGACATGTGCGCCTTCATGGCTGGCCCGGAAATGCAAAAAGGTGGTGGAGAAATGGGGCCCT  
 TCTCTCTGGAAGCTGGGCTGCTCCCTGAACGAAACAGTGTGCCTGACATTCATGGTGTAGAGGCCCT  
 GCCAGGGAGGGCGCAATGTCTGCTCAGCTTGGCTACCTGTGGTGGGTTGGCACATCGCCAATAAGAAGC  
 CCCCTCTTCCAAACGGTCCGGAGGCAGATCCATGCTACACCCACACCTGTCACTGCCATTGGGCCCCC  
 AACACGGCTATCCAGGAGCCCCATCCAGGATCGTCCAACCCACATCTCCAGCCATTGCTCCTCCA  
 ACAGAGACCATGGCTCCTCAGTCAGGATCCTGTTCTGGGAAACCCACGGTCAACATCCGGACTCGAG  
 GCGCATTATTCAAACCCCAACCTAGGCCCTCCAGCCTACTCGGGTGTGAGAAGTGGCACCACTGAT  
 TCCTGGCCAGATTCGCCCAACGATGACCATTCCTGGCTATGTGGAGCCTACTGCAGTTGCTACCCCTCCC  
 ACAACCCACCAAGAAGCCACGAGTATCCACACCAAAACAGCAACGCCTTCAACTGACTCCACCACCA  
 CCACGACTCGCAGGCCAACCAAGAAACACGGACACCCCGCCAGTGCCTGGGTCAACCAAAAGTTTC  
 CATCACAGATTGGAACTGCCTCACCGCTACTCGTATTGACACCACCAGTGGAGTGGCCCGTGGC  
 GGAGAACCAACAGCGCCAGAGCTCAAGAACCATATTGACAGGAGTATGCTGGGTTGGCACCTACT  
 TTGAGGTGAAGATCCCGTCAGACTTTCTATGACCATGAGGACACCACACTGACAAGTGAAGCTGAC  
 CCTGAAACTGCGGGAGCAGCAGCTGGTGGGCGAGAAGTCTGGGTACAGTTCAACAGCAACGCCAGCTC  
 ATGTATGGCTTCCCAGCAGCAGCCACGTGGGCAAACAGGATTTTCATGCATGCCACAGACAAGGGGG  
 GCCTGTGCGCTGTGGATGCCTTCGAGATCCACGTCCACAGGCGCCCCAAGGGGATAGGGCTCCTGCAAG  
 GTTCAAGGCCAAGTTTGTGGGTGACCCGGCACTGGTGTGAATGACATCCACAAGAAGATTGCCTTGGTA  
 AAGAACTGGCCTTCGCCTTTGGAGACCAGAACTGTAGCACCATCACCTGCAGAATATCACCCGGGGCT  
 CCATCGTGGTGGAAATGGACCAACAACACTGCCTTTGGAGCCCTGCCCAAGGAGCAGATCGTGGGCT  
 GAGCCGCGGATCGCTGAGGATGATGGAAAACCTCGGCCTGCCTTCTCCAACGCCTAGAGCCTGACTTT  
 AAGGCCACAAGCATCACTGTGACGGCTCTGGCAGTTGTGGCACCTACAGTTTATCCCTGTGGTACCAC  
 CCAGGAGAGTGCCTCAGAGGCGCCGCCACAGAAGTGCCTGACAGGGACCCTGAGAAGAGCAGTGAGGA  
 TGATGTCTACCTGCACACAGTCATTCCGGCCGTGGTGGTGCAGCCATCCTGCTCATTGCTGGCATCATT  
 GCCATGATCTGCTACCGCAAGAAGCGGAAGGGCAAGCTTACCCTTGAGGACCAGGCCACCTTCATCAAGA  
 AGGGGGTGCCTATCATCTTTGCAGACGAACTGGACGACTCCAAGCCCCACCCTCCTCCAGCATGCCACT  
 CATTCTGAGGAGGAGAAGGCTCCCCTACCCCTCCTGAGTACCCCAACCAGAGTGTGCCGAGACCACT  
 CCTCTGAACCAGGACACCATGGGAGAGTACAGCCCTGCGGGATGAGGATCCCAATGCGCCTCCTACC  
 AGCCCCACCGCCCTTACAGCACCCATGGAGGGCAAGGGCTCCCGTCCAAGAACATGACCCCATACCG  
 GTCACCTCCTCCATGTCCACCT

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGATAAGGTTTAA


Protein Sequence: >RC230569 protein sequence  
 Red=Cloning site Green=Tags(s)

MRM SVGLS LLL PLWGR TFL LLL SVVMA QSHWP SEPSEAVRDWENQLEASMHSVLSDLHEAVPTVVGIPDG  
 TAVVGRSFRVTIPTDLIASSGDIKVSAAKALPSWLHWDQSHTLEGLPLD TDKG VHYISVSATRLGA  
 NGSHIPQTSSVFSIEVYPEDHSELQSVRTASDPDGEVVSACAAD EPTVLT VILDADLTKMTPKQRIDL  
 LHRMRSFSEVELHNMKLV P VVNRLFDMSAFMAGPGNAKKV VENGALLSWKLGCSLNQNSVPDIHGVEAP  
 AREGAMSAQLGYPVVGWHIANKKPLPKRVRRIHATPTPVTAIGPPTTAIQEP SRIVPTPTSPA IAPP  
 TETMAPV RDPVPGKPTV TIRTRGAI IQPTLGP IQPTRVSEAGTTVP GQIRPTMTIPGYVEPTAVATPP  
 TTTTKPRVSTPKPATPST DSTTTTTRRPTKKPRTPRPVPRVTTKVSITRLETASPTRIRTTTSGVPRG  
 GEPNQRP ELKNHIDRVD AWGTYFEVKIPSDTFYDHEDTTDKLKLTLKLRQQLVGKESWVQFNSNSQL  
 MYGLPDSSHVGKHEYFMHATDKGGLSAVD AFEI HVHRRPQGD RAPARFKAKFVGD PALVLNDIHKKIALV  
 KKLAFAGDRNCSTITLQNI TRGSIVVEWTNNTLPLEPCPKEQIAGLSRRIAEDDGKPRPAF SNALEPDF  
 KATSITVTGSGSCRHLQFIPVPPRRVPSEAPTEVPDRDPEKSEDDVYLHTVIPAVVVAAILLIAGII  
 AMICYRKKRKGKLTLEDQATFIKKGVP IIFADELDDSKPPPSSS MPLILQEEKAPLPPEYPNQSV PETT  
 PLNQDTMGEYTPLRDEDPNAPPYQPPPPFTAPMEGKSRPKNMTPYRSPPPYVPP

SGP TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-RsrII


Cloning Scheme:



ACCN: NM\_001177640

|                               |   |
|-------------------------------|---|
| <b>ORF Size:</b>              | 2685 bp   |
| <b>OTI Disclaimer:</b>        | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>  |
| <b>OTI Annotation:</b>        | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.  |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).  |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>       |
| <b>RefSeq:</b>                | <a href="#">NM_001177640.2</a> , <a href="#">NP_001171111.1</a>   |
| <b>RefSeq Size:</b>           | 5600 bp   |
| <b>RefSeq ORF:</b>            | 2688 bp   |
| <b>Locus ID:</b>              | 1605  |
| <b>UniProt ID:</b>            | <a href="#">Q14118</a>  |
| <b>Cytogenetics:</b>          | 3p21.31   |
| <b>Protein Families:</b>      | Druggable Genome, Secreted Protein, Transmembrane   |
| <b>Protein Pathways:</b>      | Arrhythmogenic right ventricular cardiomyopathy (ARVC), Dilated cardiomyopathy, ECM-receptor interaction, Hypertrophic cardiomyopathy (HCM), Viral myocarditis  |
| <b>MW:</b>                    | 97.5 kDa  |
| <b>Gene Summary:</b>          | This gene encodes dystroglycan, a central component of dystrophin-glycoprotein complex that links the extracellular matrix and the cytoskeleton in the skeletal muscle. The encoded preproprotein undergoes O- and N-glycosylation, and proteolytic processing to generate alpha and beta subunits. Certain mutations in this gene are known to cause distinct forms of muscular dystrophy. Alternative splicing results in multiple transcript variants, all encoding the same protein. [provided by RefSeq, Nov 2015] |

Product images:



Circular map for RC230569