

Product datasheet for RC230627

NALP2 (NLRP2) (NM_001174083) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NALP2 (NLRP2) (NM_001174083) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NLRP2
Synonyms:	CLR19.9; NALP2; NBS1; PAN1; PYPAF2
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC230627 representing NM_001174083 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGGTGTCTTCGGCGCAGATGGGCTTCAACCTGCAGGCTCTCCTGGAGCAGCTCAGCCAGGATGAGTTGA
GCAAGTCCAAGTATCTGATCACGACCTTCTCCCTGGCACACGAGCTCCAGAAGATCCCCACAAGGAGAT
GGCGAGCTCCAGGTCTTTGAAAAGATGCACCGAATGGATCTGTCTGAGAGAGCAAAGGATGAAGTCAGA
GAAGCAGCTTTGAAATCCTTTAATAAAAAGGAAGCCTCTATCATTAGGGATAACACGGAAAGAACGACCAC
CTCTAGACGTGGACGAAATGCTGGAGCGCTTCAAACAGAAAGCACAAGCGTTTACAGAAAAGAAAGGAAA
TGTCATCTGCCTGGGTAAGAAGTCTTTAAAGGAAAAAGCCAGACAAAGACAATAGGTGCAGGTATATA
TTGAAGACGAAGTTCCGGGAGATGTGGAAGAGCTGGCCTGGAGATAGCAAAGAGGTCCAGGTTATGGCTG
AGAGATAACAAGATGCTGATCCCATTAGCAACCCAGGGTGTCTCCCGGGCCCTTCTACACCGGTGGT
GCTGTATGGTCTGCAGGCCTTGGGAAAACCACGCTGGCCAGAACTAATGCTAGACTGGGCAGAGGAC
AACCTCATCCACAAATTCAAATATGCGTTCTACCTCAGCTGCAGGGAGCTCAGCCGCTGGGCCGTGCA
GTTTTGCAGAGCTGGTCTTCAGGGACTGGCCTGAATTGCAGGATGACATCCACACATCTAGCCCAAGC
ACGGAAAATCTTGTTGTTGATTGACGGCTTTGATGAGCTGGGAGCCGACCTGGGGCGCTGATCGAGGAC
ATCTGCGGGGACTGGGAGAAGAAGAAGCCGGTGCCCGTCTCCTGGGGAGTTTGCTGAACAGGGTATGT
TACCCAAGGCCGCCCTGCTGGTACCACGCGGCCAGGGCCCTGAGGGACCTCCGGATCCTGGCGGAGGA
GCCGATCTACATAAGGGTGGAGGGCTTCTGGAGGAGGACAGGAGGGCCTATTTCTGAGACACTTTGGA
GACGAGGACCAAGCCATGCGTGCCTTTGAGCTAATGAGGAGCAACGCGGCCCTGTTCAGCTGGGCTCGG
CCCCCGCGGTGTCTGGATCGTGTGCAGACTCTGAAGCTGCAGATGGAGAAGGGGGAGGACCCGGTCCC
CACCTGCCTCACCCGACGGGGCTGTTCTGCGTTTCTCTGCAGCCGGTCCCAGGGGCGCACAGCTG
CGGGGCGCGCTGCGGACGCTGAGCTCCTGGCCGCGCAGGGCCTGTGGGCGCAGAGCTCCGTGCTTACC
GAGAGGATCTGGAAAGGCTCGGGGTGCAGGAGTCCGACCTCCGTCTGTTCTGGACGGAGACATCCCTCCG
CCAGGACAGAGTCTCAAAGGCTGCTACTCTTATCCACCTCAGCTTCCAGCAGTTTCTACTGCCCTG
TTCTACACCCTGGAGAAGGAGGAGGAAGAGGATAGGGACGGCCACACCTGGGACATTGGGACGTACAGA



AGCTGCTTTCGGAGTAGAAAGACTCAGGAACCCCGACCTGATCCAAGCAGGCTACTACTCCTTTGGCCT
 CGCTAACGAGAAGAGAGCCAAGGAGTTGGAGGCCACTTTTGGCTGCCGGATGTCACCGGACATCAAACAG
 GAATTGCTGCGATGCGACATAAGTTGTAAGGGTGGACATCAACGGTGACAGACCTGCAGGAGCTCCTCG
 GCTGTCTGTACGAGTCTCAGGAGGAGGAGCTGGTGAAGGAGGTGATGGCTCAGTTCAAAGAAATATCCCT
 GCATTAATGCAGTAGACGTTGTGCCATCTTCATTCTGCGTCAAGCACTGTCGAAACCTGCAGAAAATG
 TCACTGCAGGTAATAAAGGAGAATCTCCCGGAGAATGCTACTGCGTCTGAATCAGACGCCGAGGTTGAGA
 GATCCCAGGATGATCAGCACATGCTTCCCTTTCGGACGGACCTTGTTCATATTTGGATCAAATAAGGA
 TCTGATGGGTCTAGCAATCAATGATAGCTTCTCAGTGCCTCCCTAGTAAGGATCCTGTGTGAACAATA
 GCCTCTGACACCTGTCATCTCCAGAGAGTGGTGTCAAAAACATTTCCCCAGCTGATGCTCATCGGAACC
 TCTGCCTAGCTCTTCGAGGTCAAGACTGTAACGTATCTGACCCCTCAAGGCAATGACCAGGATGATAT
 GTTTCCCGCATTGTGAGGTCTTGAGACATCCAGAATGTAACCTGCGATATCTCGGGTTGGTGTCTTGT
 TCCGCTACCACTCAGCAGTGGGCTGATCTCTCTTGGCCCTTGAAGTCAACCAGTCCCTGACGTGCGTAA
 ACCTCTCCGACAATGAGCTTCTGGATGAGGGTGTAAAGTGTGTACACAACCTTGGACACCCCAAGT
 CTTTCTGCAGAGGTTGCTGTTGAAAACGTACCTTACAGAAGCCAATTGCAAGGACCTTGTCTGTGTG
 TTGGTTGTGAGGGGAGCTGACACACCTGTGCTTGGCCAAGAACCCATTGGGAATACAGGGGTGAAGT
 TTCTGTGTGAGGGCTTGAAGTACCCGAGTGTAACTGCAGACCTTGGTGTCTTGGAACTGCGACATAAC
 TAGCGATGGCTGCTGCGATCTCAAAAGCTTCTCCAAGAAAAATCAAGCCTGTTGTGTTGGATCTGGGG
 CTGAATCACATAGGAGTTAAGGGAATGAAGTTCCTGTGTGAGGCTTTGAGGAAACCACTGTGCAACTTGA
 GATGTCTGTGGTTGTGGGGATGTTCCATCCCTCCGTTTCAAGTGTGAAGACCTCTGCTCTGCCCTCAGCTG
 CAACCAGAGCCTCGTCACTCTGGACCTGGGTGAGAATCCCTTGGGGTCTAGTGGAGTGAAGATGCTGTTT
 GAAACCTTGACATGTTCCAGTGGCACCCTCCGGACACTCAGGTTGAAAATCGATGACTTTAATGATGAAC
 TCAATAAGCTGCTGGAAGAAATAGAAGAAAAAACCCACAACCTGATTATTGATACTGAGAAACATCATCC
 CTGGGCAGAAAGCCTTCTTCTCATGACTTCATGATC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC230627 representing NM_001174083
 Red=Cloning site Green=Tags(s)

MVSSAQMGFNLQALLEQLSQDEL SKFKYLITTFSLAHELQKIPHKEMASLQVFEKMRMDL SERAKDEV
 EAALKSFNKRKPLSLGITRKRPPLDVDEMLERFKTEAQAFTEKGNVICLGKEVFKGKPKDNRCRYI
 LKTKFREMWKSWPGDSKEVQVMAERYKMLIPFSNPRVLP GPF SYTVVLYGPAGLGKTTLAQKMLDWAED
 NLIHKFKYAFYLSRELSRLGPCSFAELVFRDWPELQDDIPHILAQARKILFVIDGFDELGAAPGALIED
 ICGDWEKKKPVVLLGSLNVRMLPKAALLVTRPRALRDLRILAEPIYIRVEGFLEEDRRAYFLRHF
 DEDQAMRAFELMRSNAALFQLGSAPAVCWI VCTTLKLQMEKGEDPVPTCLTRTGLFLRFLCSRFPQGAQL
 RGALRTL SLLAAQGLWAQTSVLHREDLERLGVQESDLRLFLDGDILRQDRVSKGCYSFIHLSFQQFLTAL
 FYTLEKEEEEEDRDGHWDIGDVQKLLSGVERLRNPDLIQAGYYSFGLANEKRAKELEATFGCRMSPDIKQ
 ELLRCDISCKGGHSTVTDLQELLGCLYESQEELVKEVMAQFKEISLHLNAVDDVVPSSFCVKHCRNLQKM
 SLQVIKENLPENVTASESDAEVERSDQDQHMLPFWTDLCSIFGSNKDLMGLAINDSFLSASLVRI LCEQI
 ASDTCHLRVVFKNISPADAHRNLCLALRGHKTVTYLTLQGNQDDMFALCEVLRHPECNLRYLGLVSC
 SATTQQWADLSLAEVNQSLTCVNLSDNELLDEGAKLLYTTLRHPKCF LQRLSLENCHL TEANCKDLAAV
 LVVSRELTHLCLAKNPIGNTGVKFLCEGLRYPECKLQTLVLWNC DITSDGCCDLTKLLQEKSSLLCLDLG
 LNHIGVKGMKFLCEALRKPLCNLRCLWLWGCSIPPFCEDLCSALSCNQSLVTLDLGQNPLGSSGVKMLF
 ETLTSSSGTLRTRLKIDDFNDELNKLLEEIEEKNPQLIIDTEKHHPWAERPSSHDFMI

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV


Restriction Sites:

SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN:

NM_001174083

ORF Size:

3117 bp

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001174083.2
RefSeq ORF:	3120 bp
Locus ID:	55655
UniProt ID:	Q9NX02
Cytogenetics:	19q13.42
MW:	118.3 kDa
Gene Summary:	<p>This gene is a member of the nucleotide-binding and leucine-rich repeat receptor (NLR) family, and is predicted to contain an N-terminal pyrin effector domain (PYD), a centrally-located nucleotide-binding and oligomerization domain (NACHT) and C-terminal leucine-rich repeats (LRR). Members of this gene family are thought to be important regulators of immune responses. This gene product interacts with components of the IκB kinase (IKK) complex, and can regulate both caspase-1 and NF-κB (nuclear factor kappa-light-chain-enhancer of activated B cells) activity. The pyrin domain is necessary and sufficient for suppression of NF-κB activity. An allelic variant (rs147585490) has been found that is incapable of blocking the transcriptional activity of NF-κB. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Dec 2016]</p>