

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC230648L3V

SLC12A1 (NM_001184832) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	SLC12A1 (NM_001184832) Human Tagged ORF Clone Lentiviral Particle
Symbol:	SLC12A1
Synonyms:	BSC1; NKCC2
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_001184832
ORF Size:	3297 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC230648).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001184832.1</u>
RefSeq ORF:	3300 bp
Locus ID:	6557
UniProt ID:	<u>Q13621</u>
Cytogenetics:	15q21.1
Protein Families:	Druggable Genome, Transmembrane
MW:	121.8 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

SLC12A1 (NM_001184832) Human Tagged ORF Clone Lentiviral Particle – RC230648L3V

Gene Summary:This gene encodes a kidney-specific sodium-potassium-chloride cotransporter that is
expressed on the luminal membrane of renal epithelial cells of the thick ascending limb of
Henle's loop and the macula densa. It plays a key role in concentrating urine and accounts for
most of the NaCl resorption. It is sensitive to such diuretics as furosemide and bumetanide.
Some Bartter-like syndromes result from defects in this gene. Alternative splicing results in
multiple transcript variants encoding distinct isoforms. Additional splice variants have been
described but their biological validity in humans has not been experimentally proven.
[provided by RefSeq, May 2010]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US