

Product datasheet for **RC230721**

TUT7 (NM_001185059) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Tag:	Myc-DDK
Symbol:	TUT7
Synonyms:	PAPD6; TENT3B; ZCCHC6
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

ORF Nucleotide Sequence: >RC230721 representing NM_001185059
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGGAGATACAGCAAAACCTTATTTCTGTAAGCGCACTAAAGACCGGGGACTATGGATGATGATGACT
TCAGAAGGGGTACCCCCAACAGATTATTTAATAATAGATGACCATGCTAAAGGCCATGGCAGTAAAT
GGAAAAGGGCCTTCAAAAAAGAAGATAACACCAGGGAATATGGGAATACCCCGAGAAAAGGCATGT
GCTGTTTCCAGCAATCCATATGCATTTAAAAACCAATCTACAGTCAACCCGCTTGGATGAATGACAGCC
ACAAAGATCAGAGTAAGAGATGGCTGTCTGATGAACATACTGGTAATTCAGACAACCTGGAGAGAATTCAA
ACCTGGACCTAGAATTCCTGTTATAAACCGACAAAGAAAAGACTCCTTTCAAGAAAATGAAGATGGTTAT
AGGTGGCAAGACACAAGAGGCTGCAGAACTGTAAGACGACTGTTTCATAAAGACCTAACAAGCCTAGAAA
CCACGTCAGAAATGGAAGCAGGAAGTCCTGAAAACAAGAAGCAGAGGTCCAGACCTAGGAAGCCACGGAA
GACTAGAAATGAGGAAAATGAGCAGGATGGAGACTTGGAAAGGCCCTGTGATCGATGAGTCTGTACTTTCA
ACGAAGGAGCTGCTAGGCTTACAGCAGGCTGAGGAGAGACTGAAGAGAGACTGCATTGACAGGCTAAAAA
GGCGACCACGAACTACCTACAGCAAAGTACACCTGCAGACTCTGTGATGTTTAAATTGAATCCATTGC
ATTTGCCCATAAAGCATATCAAGGAAAAGAGGCACAAGAAAAACATTAAGGAGAAGCAAGAGGAAGAGTTG
CTCACTACGTTACCCCAACCAACCCCTCCAGATAAATGCAGTTGGCATTGCCATTGACAAAGTGGTAC
AGGAATTTGGCTTACACAATGAGAAGTGAACAGAGGCTGGAAATTAACGTATCATGGAAAATGTGTT
CCAACACAAGTTACCAGATTGTTCCCTAAGATTATATGGGTCATCTGTAGCAGATTGGGTTTCAAAAAT
TCGGATGTAACATTGACATCCAGTTTCCAGCCATTATGTCTCAGCCAGATGTCCTTCTACTTGTCAAG
AATGTTTAAAGACAGTCACTCCTTTATTGATGTTGATGCAGACTTCCATGCTAGGGTGCCAGTGGTGGT
GTGCAGAGAAAAGCAAAGTGGTCTTCTGTGTAAGTGAGCGCAGGAAATGAAAATGCTTGTCTGACAACA
AAGCATTTAACTGCCCTTGGAAAACAGAACCAAGCTGGTTCCCTTTGGTGATTGCATTTAGGTACTGGG
CAAAGCTTTGCAGTATAGATCGCCCTGAAGAAGGAGGTCTGCCACCTTATGTGTTTGCCTGATGGCCAT
TTTCTTTCTCAGCAGAGGAAAGAACCCCTTTTGCCTGTATATCTAGGATCATGGATTGAAGGATTCTCA
TTAAGCAAAGTGGGAATTTCAACCTTCAAGACATTGAAAAAGATGTTGTGATCTGGGAACATACTGACA



GTGCTGCAGGGGACACAGGCATAACAAAAGAAGAGGCACCAAGAGAAACGCCGATTAAGGGGACAGGT
GTCATTAATATTGGATGTGAACACCAGCCTTCAGTACCAGTTGGGCAGCTCTGGGTGGAATTGCTGCGG
TTCTATGCTTTAGAAATTTAATTTGGCTGATTTAGTGATAAGTATTCGTGTCAAAGAATTGGTATCTCGG
AATTGAAGGATTGGCCCAAAAAGCGCATTGCCATTGAAGATCCCTACTCTGTTAAAAAGAAATGTGGCAAG
AACCTAAATAGTCAACCTGTGTTTGAATATATACTTCATTGTTTAAAGGACAACATACAAGTATTTTGT
CTTCCACACAAAATTACAAAATCCAGCCTTCTAAAGCCTCTGAATGCAATTACATGTATTTCAGAACATT
CTAAAGAAGTAATAATCATCATCCAGATGTACAAACAAAAGATGATAAGCTCAAAAACCTCAGTTTTGGC
CCAAGGTCCTGGTGTACCAAGTTCAGCTGCAAAATACCTGTAAGGTACAGCCACTTACTCTTAAAGAGACT
GCTGAAAGTTTTGGAAGCCACCAAAAAGAAGAAATGGGAAATGAACACATCAGTGTCCACCTGAAAAC
CAGACTGTATCCAAGCAGATGTTAACTCTGATGATTACAAGGGTGATAAGTATACCATCCAGAAACAGG
AAGGAAAAACGAGAAAGAGAAAGTTGGAAGGAAGGCAAGCATCTGTTGACTGTTGATCAGAAACGTGGA
GAGCATGTTGTCTGTGGCAGCACAGTAATAATGAGTCAGAGAGCACTTTGGATTTAGAAGGCTTCCAAA
ATCCCACAGCTAAAGAGTGTGAGGGACTTGCCACTTTAGATAACAAGGCTGATCTTGATGGAGAAAGTAC
AGAAGTACTGAGGAAGTAGAAGACTCTCTAAACCACTTTACCACTCAGTACAGGGCCAGACATCAGAA
ATGATTCCTCTGATGAAGAGGAGGAGGACGACGAAGAAGAGGAGGAGGAAGAAGAACCTAGGCTACCA
TTAACCAGGGAAGATGAAGATGGCATGGCTAATGAAGATGAGTTAGACAACACCTACACTGGGTGAGG
GGATGAGGACGCCCTATCTGAAGAGGATGATGAGTTAGGCGAAGCTGCTAAGTATGAAGACGTGAAAGAA
TGTGAAAAACATGTAGAAAGAGCTCTCCTAGTGAAGCTTAATAAAATAAGTCTCAAGGAAGAAATGTAT
GTGAAGAAAAAATTCACCTGTGGATCAGTCTGATTTTTTTATGAATTCAGTAAACTTATCTTCACCAA
AGGCAAGTCTCCTACGGTAGTGTGCAGCTTATGCAACGAGAGGGTCATCTAAAGAAGGACTGTCCTGAA
GACTTCAAAAAGAAATCCAGCTAGAACCTCTGCCACCATTAAACCCCAAGTTTTTAAATATCTTAGATCAAG
TCTGTATCCAGTGTTATAAGGATTTTTCTCCAACAATTATAGAAGATCAGGCTCGTGAACATATTCGGCA
AAACCTAGAAAGTTTCATAAGACAGGACTTCCAGGAAGCTAAATTGAGCCTGTTTGGCTCTCCAAAAAT
GGATTTGGGTTCAAACAGAGTGACCTTGACGTCTGTATGACAATTAATGGACTTGAAACTGCTGAGGGAT
TGGACTGTGTCAGAACTATTGAAGAATTAGCAAGAGTCTCAGAAAACATTGAGGTCTGAGAAACATCTT
ACCTATTACAACAGCAAGGTGCCAATTGTGAAGTCTTCCATTTGAGAAGTGGTCTGGAAGTAGATATC
AGTTTGTATAACACATTGGCCCTTCATAACACAAGGCTTTTATCTGCTTATTCGCCATTGATCCAGAG
TGAAGTATTTGTGCTATACCATGAAAAGTATTACAAAGATGTGTGATATTGGTGATGCATCTAGAGGCAG
CTTATCATCGTATGCATATACTCTTATGGTGCTATATTTCTCCAGCAGAGGAATCCACCAGTCATTCTCT
GTCCTTCAAGAGATATACAAAGGTGAAAAGAACTGAAATATTTGTTGATGGCTGGAATATTTATTTTT
TTGATCAAAATAGATGAAGTGCCTACCTATTGGTCAGAAATGTGGAAGAAATACAGAATCTGTTGGGAGTT
ATGGTTGGGCCTTCTCGTTTCTACACAGAGGAATTTGATTTTAAAGAACATGTTATTAGCATCAGGAGA
AAAAGTCTGCTTACAACCTTTTAAAGAAACAGTGGACCTCAAAATACATTGTTATTGAAGATCCCTTGATT
TGAATCATAATCTTGGAGCTGGATTATCAAGGAAATGACAAATTTTATAATGAAGGCTTTTATCAATGG
TAGAAGAGTATTTGGTATTCCTGTCAAGGGATTTCAGGAGTACCCCTCAAAAATGGAATACTTTTTT
GATCCAGATGTGTTAACTGAAGGAGAGCTGGCCCAATGATAGATGTTGTCGAATTTGTGGAAGAAATCG
GACACTTCATGAAGGACTGTCTATGAGGAGAAAAGTAAGACGGCGGCGAGATCAGGAAGATGCCCTGAA
CCAAAGATACCTGAGAACAGGAAAAAGAAAGCAAGAGGACAAAGAAATTCACAACAAGTACACAGAA
AGGGAGGTGTCAACAAAAGAGATAAGCCCATACAGTGCACACCTCAGAAAGCCAAGCCAATGCGGGCAG
CTGCTGACCTGGGGAGGAGAGATCCTCAGGCCACCAAGTAGAAAAATGGAAGAGACAGGATGACAAAGA
CTTAAGAGAAAAACGTTGTTTTATTTGTGGAAGAGAGGGCACATTAAGGAAGTATGCCCACAGTTTAA
GGCTCTTCAGGTAGCCTTTCCAGTAAATATGACTCAGGGAAGGCTCAGCGAAGAGGACCCAGCAGG
AATCA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC230721 representing NM_001185059

Red=Cloning site Green=Tags(s)

MGDTAKPYFVKRTKDRGTMDDDDFRGHPPQDYLIIDDHAKGHGSKMEKGLQKKKITPGNYGNTPRKGPC
AYSSNPYAFKNPIYSQPAWMNDSHKDQSKRWLSDEHTGNSDNWREFKPGPRIPVINRQRKDSFQENEDGY
RWQDTRGCRVRRLFHKDLTSELTSEMEAGSPENKKQSRPRKPRKTRNEENEQDGLGEPVIDESVLS
TKELLGLQQAERLKRDCIDRLKRRPNYPTAKYTCRLCDVLIESIAFAHKHIKEKRHKNIKEKQEEEL
LTTLPPPTPSQINAVGIAIDKVVEFGLHNENLEQRLEIKRIMENVFQHKLPDCSLRLYGSSCSRLGFKN
SDVNIDIQFPAIMSQPDVLLLVECLKNSDSFIDVDADFARVPVVVCREKQSGLLCKVSAGNENACLT
KHLTALGKLEPKLVPLVIAFRYWAKLCSIDRPEEGGLPPYFALMAIFFLQQRKEPLLPVYLGSWIEGFS
LSKLGNFNLQDIEKDVIWEHTDSAAGDTGITKEEAPRETPIKRGQVSLILDVHKQPSVPVQGLWVELLR
FYALEFNLADLVISIRVKELVSRELKDWPKKRIAIEDPYSVKRNNAVRLNSQPVFEYILHCLRTTYKYFA
LPHKITKSSLLKPLNAITCISEHSKEVINHPDVQTKDDKLKNSVLAQGPATSSAANTCKVQPLTLKET
AESFGSPPEEMGNEHISVHPENSDCIQADVNSDDYKGDVYHPETGRKNEKEKVGKKGKHLTVQDKRG
EHVVCGSTRNNESESTLDLEGFQNP TAKECEGLATLDNKADLDGESTEGTEELEDLSLNFTHSVQGTSE
MIPSDDEEDDEEEEEEPRLTINQREDEGDMANEDELNTYTGSGEDALSEEDDELGEAAKYEDVKE
CGKHVERALLVELNKISLKEENVCEEKNSPVDQSDFFYEFESKLIFTKGKSPTVVCSLCKREGHLKKDCPE
DFKRIQLEPLPLTPKFLNILDQVCIQCYKDFPTIIEDQAREHIRQNLSEFIRQDFPGTKLSLFGSSKN
GFGFKQSDLDVCMTINGLETAEGLCDVRTIEELARVLRKHSGLRNILPITTAKVPIVKFFHLRSGLEVDI
SLYNTLALHNTRLLSAYS AIDPRVKYLCYTMKVFTKCDIGDASRGLSSYAYTLMVLYFLQQRNPPVIP
VLQEIIYKGEKKPEIFVDGWNIIYFFDQIDELPTYWSECNKNTESVGQLWLGLLRFYTEEFDFKEHVISIRR
KSLLTFFKKQWTSKYIVIEDPFDLNHNLGAGLSRKMTNFIMKAFINGRRVFGIPVKGF PKDYPSKMEYFF
DPDVLTEGELAPNDRCCRICGIGHFMKDCPMRRKVRRRRDQEDALNQRYPENKEKRSKEDKEIHNKYTE
REVSTKEDKPIQCTPQKAKPMRAAADL GREKILRPPVEKWK RQDDKDLREKRCFCGREGHIKKECPQFK
GSSGSLSSKYMTQGKASAKRTQQES

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Chromatograms:

https://cdn.origene.com/chromatograms/mk8030_b03.zip

Restriction Sites:

Sgfl-MluI

Cloning Scheme:



ACCN:

NM_001185059

ORF Size:


4485 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_001185059.2
RefSeq Size:	5586 bp
RefSeq ORF:	4488 bp
Locus ID:	79670
UniProt ID:	Q5VYS8
Cytogenetics:	9q21.33
MW:	171.2 kDa

Gene Summary:

Uridyltransferase that mediates the terminal uridylation of mRNAs with short (less than 25 nucleotides) poly(A) tails, hence facilitating global mRNA decay (PubMed:19703396, PubMed:25480299). Essential for both oocyte maturation and fertility. Through 3' terminal uridylation of mRNA, sculpts, with TUT7, the maternal transcriptome by eliminating transcripts during oocyte growth (By similarity). Involved in microRNA (miRNA)-induced gene silencing through uridylation of deadenylated miRNA targets (PubMed:25480299). Also functions as an integral regulator of microRNA biogenesis using 3 different uridylation mechanisms (PubMed:25979828). Acts as a suppressor of miRNA biogenesis by mediating the terminal uridylation of some miRNA precursors, including that of let-7 (pre-let-7). Uridylated pre-let-7 RNA is not processed by Dicer and undergo degradation. Pre-let-7 uridylation is strongly enhanced in the presence of LIN28A (PubMed:22898984). In the absence of LIN28A, TUT7 and TUT4 monouridylate group II pre-miRNAs, which includes most of pre-let7 members, that shapes an optimal 3' end overhang for efficient processing (PubMed:25979828, PubMed:28671666). Add oligo-U tails to truncated pre-miRNAs with a 5' overhang which may promote rapid degradation of non-functional pre-miRNA species (PubMed:25979828). Does not play a role in replication-dependent histone mRNA degradation (PubMed:18172165). Due to functional redundancy between TUT4 and TUT7, the identification of the specific role of each of these proteins is difficult (PubMed:25979828, PubMed:25480299, PubMed:19703396, PubMed:22898984, PubMed:18172165, PubMed:28671666). TUT4 and TUT7 restrict retrotransposition of long interspersed element-1 (LINE-1) in cooperation with MOV10 counteracting the RNA chaperone activity of L1. TUT7 uridylates LINE-1 mRNAs in the cytoplasm which inhibits initiation of reverse transcription once in the nucleus, whereas uridylation by TUT4 destabilizes mRNAs in cytoplasmic ribonucleoprotein granules (PubMed:30122351). [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RC230721