

# **Product datasheet for RC230757**

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

OriGene Technologies, Inc.

# RGS5 (NM\_001195303) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: RGS5 (NM 001195303) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: RGS5

**Synonyms:** MST092; MST106; MST129; MSTP032; MSTP092; MSTP106; MSTP129

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC230757 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TTAATCAAG

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC230757 protein sequence

Red=Cloning site Green=Tags(s)

MAEKAKQIYEEFIQTEAPKEVNIDHFTKDITMKNLVEPSLSSFDMAQKRIHALMEKDSLPRFVRSEFYQE

LIK

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


**Restriction Sites:** Sgfl-Mlul






#### **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

## Plasmid Map:



**ACCN:** NM\_001195303

ORF Size: 219 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info



### **RGS5 (NM\_001195303) Human Tagged ORF Clone - RC230757**

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001195303.3</u>

 RefSeq Size:
 5497 bp

 RefSeq ORF:
 222 bp

 Locus ID:
 8490

 UniProt ID:
 015539

 Cytogenetics:
 1q23.3

**Protein Families:** Druggable Genome

**MW:** 8.7 kDa

Gene Summary: This gene encodes a member of the regulators of G protein signaling (RGS) family. The RGS

proteins are signal transduction molecules which are involved in the regulation of

heterotrimeric G proteins by acting as GTPase activators. This gene is a hypoxia-inducible factor-1 dependent, hypoxia-induced gene which is involved in the induction of endothelial apoptosis. This gene is also one of three genes on chromosome 1q contributing to elevated blood pressure. Alternatively spliced transcript variants have been identified. [provided by

RefSeq, Dec 2011]