

Product datasheet for RC230760

ENY2 (NM_001193557) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: ENY2 (NM_001193557) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: ENY2
Synonyms: DC6; e(y)2; Sus1
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >RC230760 representing NM_001193557
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGTGGTTAGCAAGATGAACAAAGATGCGCAGATGAGAGCAGCGATTAACCAAAAGTTGATAGAACTG
GAGAAAGAGAACGCCTCAAAGAGTTGCTGAGAGCTAAATTAATTGAATGTGGCTGGAAGGATCAGTTGAA
GGCACACTGTAAGAGGTAATTAAGAAAAAGGACTAGAACACGTTACTGTTGATGACTTGGTGGCTGAA
ATCACTCCAAAAGGCAGAGCCCTGGTACCTGACAGTGTAAAGAAGGAGCTCTACAAAGAATAAGAACAT
TCCTTGCTCAGCATGCCAGCCTT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA


Protein Sequence: >RC230760 representing NM_001193557
Red=Cloning site Green=Tags(s)
MVSVMNKAQMRRAAINQKLIETGERERLKELLRAKLIIECGWKDQLKAHCKEVIKEKLEHVTVDLVAE
ITPKGRALVPDSVKKELLQRIRTFLAQHASL
TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:

Plasmid Map:


ACCN: NM_001193557

ORF Size: 306 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001193557.1 , NP_001180486.1
RefSeq Size:	2876 bp
RefSeq ORF:	291 bp
Locus ID:	56943
UniProt ID:	Q9NPA8
Cytogenetics:	8q23.1
MW:	11.5 kDa
Gene Summary:	Involved in mRNA export coupled transcription activation by association with both the TREX-2 and the SAGA complexes. The transcription regulatory histone acetylation (HAT) complex SAGA is a multiprotein complex that activates transcription by remodeling chromatin and mediating histone acetylation and deubiquitination. Within the SAGA complex, participates in a subcomplex that specifically deubiquitinates both histones H2A and H2B. The SAGA complex is recruited to specific gene promoters by activators such as MYC, where it is required for transcription. Required for nuclear receptor-mediated transactivation (PubMed:18206972, PubMed:21746879). As a component of the TREX-2 complex, involved in the export of mRNAs to the cytoplasm through the nuclear pores (PubMed:23591820). [UniProtKB/Swiss-Prot Function]