

Product datasheet for RC230817

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

beta III Tubulin (TUBB3) (NM_001197181) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: beta III Tubulin (TUBB3) (NM_001197181) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: beta III Tubulin

Synonyms: beta-4; CDCBM; CDCBM1; CFEOM3; CFEOM3A; FEOM3; TUBB4

Mammalian Cell Neomycin


Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)


Chromatograms: https://cdn.origene.com/chromatograms/mk6078 h03.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:







^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001197181

ORF Size: 1353 bp



beta III Tubulin (TUBB3) (NM_001197181) Human Tagged ORF Clone - RC230817

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001197181.1</u>, <u>NP 001184110.1</u>

 RefSeq Size:
 1851 bp

 RefSeq ORF:
 1137 bp

 Locus ID:
 10381

 UniProt ID:
 Q13509

 Cytogenetics:
 16q24.3

Protein Families: Druggable Genome, ES Cell Differentiation/IPS

Protein Pathways: Gap junction, Pathogenic Escherichia coli infection

MW: 50.4 kDa


Gene Summary: This gene encodes a class III member of the beta tubulin protein family. Beta tubulins are one

of two core protein families (alpha and beta tubulins) that heterodimerize and assemble to form microtubules. This protein is primarily expressed in neurons and may be involved in neurogenesis and axon guidance and maintenance. Mutations in this gene are the cause of congenital fibrosis of the extraocular muscles type 3. Alternate splicing results in multiple transcript variants. A pseudogene of this gene is found on chromosome 6. [provided by

RefSeq, Oct 2010]



Product images:



Circular map for RC230817