

## **Product datasheet for RC230992**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## EDA (NM\_001005613) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** EDA (NM\_001005613) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: EDA

**Synonyms:** ECTD1; ED1-A1; ED1-A2; EDA-A1; EDA-A2; EDA1; EDA2; HED1; HED1; ODT1; STHAGX1;

TNLG7C; XHED; XLHED

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC230992 representing NM\_001005613

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TCTTATGGCCTACAAGGTTTCTGC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC230992 representing NM\_001005613

Red=Cloning site Green=Tags(s)

MGYPEVERRELLPAAAPRERGSQGCGCGGAPARAGEGNSCLLFLGFFGLSLALHLLTLCCYLELRSELRR ERGAESRLGGSGTPGTSGTLSSLGGLDPDSPITSHLGQPSPKQQPLEPGEAALHSDSQDGHQDFDYIISF

SYGLQGFC

TRTRPLEQKLISEEDLAANDILDYKDDDDKV






**Restriction Sites:** 

Sgfl-Mlul

**Cloning Scheme:** 



<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001005613

ORF Size: 444 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001005613.4</u>

**RefSeq ORF:** 447 bp

**Locus ID:** 1896

UniProt ID: Q92838

**Cytogenetics:** Xq13.1



**Protein Families:** Druggable Genome, Secreted Protein, Transmembrane

**Protein Pathways:** Cytokine-cytokine receptor interaction

MW: 16 kDa

**Gene Summary:** The protein encoded by this gene is a type II membrane protein that can be cleaved by furin


to produce a secreted form. The encoded protein, which belongs to the tumor necrosis factor

family, acts as a homotrimer and may be involved in cell-cell signaling during the

development of ectodermal organs. Defects in this gene are a cause of ectodermal dysplasia, anhidrotic, which is also known as X-linked hypohidrotic ectodermal dysplasia. Several transcript variants encoding many different isoforms have been found for this gene.

[provided by RefSeq, Jul 2008]

## **Product images:**



Circular map for RC230992