

Product datasheet for RC231031L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Inositol Hexakisphosphate Kinase 2 (IP6K2) (NM_001190316) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Inositol Hexakisphosphate Kinase 2 (IP6K2) (NM 001190316) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Inositol Hexakisphosphate Kinase 2

Synonyms: IHPK2; InsP6K2; PIUS

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC231031).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001190316

ORF Size: 555 bp





Inositol Hexakisphosphate Kinase 2 (IP6K2) (NM_001190316) Human Tagged Lenti ORF Clone – RC231031L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001190316.1</u>, <u>NP 001177245.1</u>

RefSeq ORF: 558 bp
Locus ID: 51447
UniProt ID: Q9UHH9
Cytogenetics: 3p21.31

Protein Families: Druggable Genome

MW: 21.4 kDa


Gene Summary: This gene encodes a protein that belongs to the inositol phosphokinase (IPK) family. This

protein is likely responsible for the conversion of inositol hexakisphosphate (InsP6) to diphosphoinositol pentakisphosphate (InsP7/PP-InsP5). It may also convert 1,3,4,5,6-pentakisphosphate (InsP5) to PP-InsP4 and affect the growth suppressive and apoptotic activities of interferon-beta in some ovarian cancers. Alternative splicing results in multiple

transcript variants encoding different isoforms. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC231031L4