

Product datasheet for RC231133L4

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

AKR1D1 (NM_001190907) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: AKR1D1 (NM_001190907) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: AKR1D1

Synonyms: 3o5bred; CBAS2; SRD5B1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Sgfl-Mlul

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC231133).

Sequence:

Restriction Sites: Cloning Scheme:

Cloning sites used for ORF Shuttling:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001190907

ORF Size: 870 bp





AKR1D1 (NM_001190907) Human Tagged Lenti ORF Clone - RC231133L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001190907.1</u>

 RefSeq ORF:
 873 bp

 Locus ID:
 6718

 UniProt ID:
 P51857

Cytogenetics:

Protein Families: Druggable Genome

7q33

Protein Pathways: Androgen and estrogen metabolism, C21-Steroid hormone metabolism, Metabolic pathways,

Primary bile acid biosynthesis

MW: 33.2 kDa


Gene Summary: The enzyme encoded by this gene is responsible for the catalysis of the 5-beta-reduction of

bile acid intermediates and steroid hormones carrying a delta(4)-3-one structure. Deficiency of this enzyme may contribute to hepatic dysfunction. Three transcript variants encoding different isoforms have been found for this gene. Other variants may be present, but their

full-length natures have not been determined yet. [provided by RefSeq, Jul 2010]



Product images:



Circular map for RC231133L4