OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for RC231191

Cystathionase (CTH) (NM_001190463) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Cystathionase (CTH) (NM_001190463) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	CTH
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)

ORF Nucleotide Sequence:

>RC231191 representing NM_001190463
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGCAGGAAAAAGACGCCTCCTCACAAGGTTTCCTGCCACACTTCCAACATTTCGCCACGCAGGCGATCC
ATGTGGGCCAGGATCCAGAGCAATGGACCTCCAGGGCTGTAGTGCCCCCCATCTCACTGTCCACCACGTT
CAAGCAAGGGGCGCCTGGCCAGCACTCGGGTTTTGAATATAGCCGTTCTGGAAATCCCACTAGGAATTGC
CTTGAAAAAGCAGTGGCAGCACTGGATGGGGCTAAGTACTGTACAAACAGGTACTTCAGGCAAGTGGCAT
CTGAATTTGGATTAAAGATTTCTTTTGTTGATTGTTCCAAAATCAAATTACTAGAGGCAGCAATTACACC
AGAAACCAAGCTTGTTTGGATCGAAACCCCCACAAACCCCACCCAGAAGGTGATTGACATTGAAGGCTGT
GCACATATTGTCCATAAGCATGGAGACATTATTTTGGTCGTGGATAACACTTTTATGTCACCATATTTCC
AGCGCCCTTTGGCTCTGGGAGCTGATATTTCTATGTATTCTGCAACAAAATACATGAATGGCCACAGTGA
TGTTGTAATGGGCCTGGTGTCTGTTAATTGTGAAAGCCTTCATAATAGACTTCGTTTCTTGCAAAACTCT
CTTGGAGCAGTTCCATCTCCTATTGATTGTTACCTCTGCAATCGAGGTCTGAAGACTCTACATGTCCGAA
TGGAAAAGCATTTCAAAAACGGAATGGCAGTTGCCCAGTTCCTGGAATCTAATCCTTGGGTAGAAAAGGT
TATTTATCCTGGGCTGCCCTCTCATCCACAGCATGAGTTGGTGAAGCGTCAGTGTACAGGTTGTACAGGG
ATGGTCACCTTTTATATTAAGGGCACTCTTCAGCATGCTGAGATTTTCCTCAAGAACCTAAAGCTATTTA
CTCTGGCCGAGAGCTTGGGAGGATTCGAAAGCCTTGCTGAGCTTCCGGCAATCATGACTCATGCATCAGT
TCTTAAGAATGACAGAGATGTCCTTGGAATTAGTGACACACTGATTCGACTTTCTGTGGGCTTAGAGGAT
GAGGAAGACCTACTGGAAGATCTAGATCAAGCTTTGAAGGCAGCACACCCTCCAAGTGGAAGTCACAGC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

View online »

Protein Sequence:

>RC231191 representing NM_001190463
Red=Cloning site Green=Tags(s)

MQEKDASSQGFLPHFQHFATQAIHVGQDPEQWTSRAVVPPISLSTTFKQGAPGQHSGFEYSRSGNPTRNC
LEKAVAALDGAKYCTNRYFRQVASEFGLKISFVDCSKIKLLEAAITPETKLVWIETPTNPTQKVIDIEGC
AHIVHKHGDIILVVDNTFMSPYFQRPLALGADISMYSATKYMNGHSDVVMGLVSVNCESLHNRLRFLQNS
LGAVPSPIDCYLCNRGLKTLHVRMEKHFKNGMAVAQFLESNPWVEKVIYPGLPSHPQHELVKRQCTGCTG
MVTFYIKGTLQHAEIFLKNLKLFTLAESLGGFESLAELPAIMTHASVLKNDRDVLGISDTLIRLSVGLED
EEDLLEDLDQALKAAHPPSGSHS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk8055_d08.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN:	NM_001190463
ORF Size:	1119 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001190463.1, NP_001177392.1
RefSeq ORF:	1122 bp
Locus ID:	1491
UniProt ID:	P32929
Cytogenetics:	1p31.1
Protein Pathways:	Cysteine and methionine metabolism, Glycine, serine and threonine metabolism, Metabolic pathways, Nitrogen metabolism, Selenoamino acid metabolism
MW:	41.7 kDa
Gene Summary:	This gene encodes a cytoplasmic enzyme in the trans-sulfuration pathway that converts cystathione derived from methionine into cysteine. Glutathione synthesis in the liver is dependent upon the availability of cysteine. Mutations in this gene cause cystathioninuria. Alternative splicing of this gene results in three transcript variants encoding different isoforms. [provided by RefSeq, Jun 2010]

Product images:



Western blot validation of overexpression lysate (Cat# [LY434190]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from un-transfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC231191 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).