

## Product datasheet for RC231195L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## LIPF (NM\_001198830) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** LIPF (NM\_001198830) Human Tagged ORF Clone Lentiviral Particle

Symbol: LIPF

Synonyms: GL; HGL; HLAL

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

**ACCN:** NM\_001198830

ORF Size: 1125 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC231195).

OTI Disclaimer:

**Protein Families:** 

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 001198830.1

 RefSeq ORF:
 1128 bp

 Locus ID:
 8513

 UniProt ID:
 P07098

Cytogenetics: 10q23.31

**Protein Pathways:** Glycerolipid metabolism, Metabolic pathways

MW: 43.3 kDa



Druggable Genome, Secreted Protein





## **Gene Summary:**

This gene encodes gastric lipase, an enzyme involved in the digestion of dietary triglycerides in the gastrointestinal tract, and responsible for 30% of fat digestion processes occurring in human. It is secreted by gastric chief cells in the fundic mucosa of the stomach, and it hydrolyzes the ester bonds of triglycerides under acidic pH conditions. The gene is a member of a conserved gene family of lipases that play distinct roles in neutral lipid metabolism. Several transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2010]