

### Product datasheet for RC231217L4

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US

## Protor 1 (PRR5) (NM\_001198721) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type: Expression Plasmids** 

mGFP Tag:

Symbol: Protor 1

Synonyms: FLJ20185k; PP610; PROTOR-1; PROTOR1

**Mammalian Cell** Puromycin

Selection:

pLenti-C-mGFP-P2A-Puro (PS100093) Vector:

Chloramphenicol (34 ug/mL) E. coli Selection:

ORF Nucleotide Sequence: The ORF insert of this clone is exactly the same as(RC231217).

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

NM\_001198721 ACCN:

1233 bp **ORF Size:** 



## Protor 1 (PRR5) (NM\_001198721) Human Tagged Lenti ORF Clone | RC231217L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

**RefSeq:** <u>NM\_001198721.1</u>

RefSeq ORF: 1236 bp

**Locus ID:** 55615

**UniProt ID:** <u>P85299</u>

Cytogenetics: 22q13.31

**MW:** 45.6 kDa


Gene Summary: This gene encodes a protein with a proline-rich domain. This gene is located in a region of

chromosome 22 reported to contain a tumor suppressor gene that may be involved in breast and colorectal tumorigenesis. The protein is a component of the mammalian target of rapamycin complex 2 (mTORC2), and it regulates platelet-derived growth factor (PDGF) receptor beta expression and PDGF signaling to Akt and S6K1. Alternative splicing and the use of alternative promoters results in transcripts encoding different isoforms. Read-through transcripts from this gene into the downstream Rho GTPase activating protein 8 (ARHGAP8) gene also exist, which led to the original description of PRR5 and ARHGAP8 being a single gene.

[provided by RefSeq, Nov 2010]



# **Product images:**



Circular map for RC231217L4