

## Product datasheet for **RC231308**

### **MID1 (NM\_001193278) Human Tagged ORF Clone**

#### **Product data:**

Product Type:	Expression Plasmids
Product Name:	MID1 (NM_001193278) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	MID1
Synonyms:	BBBG1; FXY; GBBB1; MIDIN; OGS1; OS; OSX; RNF59; TRIM18; XPRF; ZNFXY
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RC231308 representing NM\_001193278  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGAAACTGGAGTCAGAAGTACCTGCCCATTGTCTGGAGCTCTTTGAGGACCTCTTCTACTGC  
 CCTGCGCACACAGCCTCTGCTTCAACTGCGCCACCGCATCCTAGTATCACACTGTGCCACCAACGAGTC  
 TGTGGAGTCCATCACCGCCTTCCAGTGCACCCACCTGCCGGCATGTCATCACCCCTAGCCAGCGAGGTCTA  
 GACGGGCTCAAGCGCAACGTCACCTACAGAATCATCGACAGGTTCCAGAAAGCATCAGTGAGCGGGC  
 CCAACTCTCCAGCGAGACCCGTCGGGAGCGGGCCTTTGACGCCAACACCATGACCTCCGCCGAGAAGGT  
 CCTCTGCCAGTTTTGTGACCAGGATCCTGCCAGGACGCTGTGAAGACCTGTGTCACCTGTGAAGTATCC  
 TACTGTGACGAGTGCCTGAAAGCCACTACCCGAATAAGAAGCCCTTTACAGGCCATCGTCTGATTGAGC  
 CAATCCGGACTCTCACATCCGGGGCTGATGTGCTTGGAGCATGAGGATGAGAAGGTGAATATGTACTG  
 TGTGACCGATGACCAGTTAATCTGTGCCTTGTGTAAGTGGTGGCGGGACCGCATCATCAGGTGGCA  
 GCTTTGAGTGAGCGCTATGACAAATTGAAGCAAACCTTAGAGAGTAACCTACCAACCTTATTAAGAGGA  
 ACACAGAAGTGGAGACCTTTTGGCTAAACTCATCCAAACCTGTCAACATGTTGAAACTGTAAAGGATCA  
 GAAAGTCAATGGCAGAGAGAAGCAGCAGTATTACCCTAGGAATAGGAGAAAGTGGGTGAGCAACTCCCTA  
 CAGGCAAGACTGATGGGGAGAAGATGCATTTCAAGACGCGAAAGAAAACCTGACTCTAGATGTAGAGAAGG  
 TCAATGCATCACGTCAAGAAGCCAAATTGACAGAGGAGTGTGATCTTCTCATTGAGATCATTAGCAAAAG  
 ACGACAGATTATTGGAACCAAGTCAAAGAAGGGAAGGTGATGAGGCTTCGAAACTGGCTCAGCAGATT  
 GCAAACGCAAACAGTGCATTGAGCGGTGAGCATCACTCATCTCCAAGCGGAACACTCTCTGAAGGAGA  
 ATGATCATGCGCGTTTTCTACAGACTGCTAAGAATATCACCGAGAGAGTCCATGGCAACTGCATCCTC  
 CCAGGTTCTAATTCCTGAAATCAACCTCAATGACACATTTGACACCTTTGCCTTAGATTTTTCCCGAGAG  
 AAGAAACTGCTAGAATGTCTGGATTACCTTACAGCTCCCAACCTCCCACAATTAGAGAAGAGCTCTGCA  
 CAGCTTATATGACACCATCACTGTGCATTGGACCTCCGATGATGAGTTCAGCGTGGTCTCCTACGAGCT  
 CCAGTACACCATATTCACCGGACAAGCCAAACGTCGTTAGTGAGTATCTCATGGCCTATTTATTTCTGTCT  
 TTGGTGGCTTTCTCAGATTGATTGCATTCTGAATTTAAACTTCAAAGGAAGACAAGGAAGGAAAGAAC  
 ACACAATATTTATTGACTTGTCTTTCTGAACAAAAAGTGATAGCACTCACTTGTACTACATTAGTAA  
 AACAGCTGGC

**ACGCGT**ACGCGGCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**

>RC231308 representing NM\_001193278  
 Red=Cloning site Green=Tags(s)

METLESELTCPICLELFEPLLLPCAHSFCNCAHRILVSHCATNESVESITAFQCPTCRHVITLSQRGL  
 DGLKRNVTLQNIIDRFQKASVSGPNPSETRRERAFDANTMTSAEKVLCQFCDQDPAQDAVKTCVTEVSV  
 YCDECLKATHPNKPFTHRLIEPIPDISHIRGLMCLEHEDEKVNMYCVTDDQLICALCKLVGRHRDHQVA  
 ALSERYDKLKQNLNLSNLNLIKRNELETLLAKLIQTCQHVETVKDQKVI GREKQYPRNRRKWSNSL  
 QARLMGRRCISRRERKLTLDVEKVNASRQEAKL TEECDLLIEIIQRRQIIGTKIKEGKVMRLRKLAAQI  
 ANCKQCIERSASLISQAEHSLKENDHARFLQTAKNITERVSMATASSQVL IPEINLNDTFDFALDFSRE  
 KKLLECLDYL TAPNPPTIREELCTASYDTITVHWTSDDEF SVVSYELQYITFGQANVVSEYLMAYLFLS  
 LVAFFRLIAFLNLFKGRQGRKEHTIFIDLSFLNKKVIALTCTTLVKTAG

**TR**TRPLEQKLI SEEDLAANDILDYKDDDDKV

**Chromatograms:**

[https://cdn.origene.com/chromatograms/mk8066\\_c06.zip](https://cdn.origene.com/chromatograms/mk8066_c06.zip)

**Restriction Sites:**

Sgfl-MluI

**Cloning Scheme:**


**ACCN:** NM\_001193278

**ORF Size:** 1620 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001193278.1](#), [NP\\_001180207.1](#)

**RefSeq ORF:** 1623 bp

**Locus ID:** 4281


**UniProt ID:** [O15344](#)

**Cytogenetics:** Xp22.2

**Protein Families:** Druggable Genome  
**Protein Pathways:** Ubiquitin mediated proteolysis  
**MW:** 62.2 kDa

**Gene Summary:** The protein encoded by this gene is a member of the tripartite motif (TRIM) family, also known as the 'RING-B box-coiled coil' (RBCC) subgroup of RING finger proteins. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. This protein forms homodimers which associate with microtubules in the cytoplasm. The protein is likely involved in the formation of multiprotein structures acting as anchor points to microtubules. Mutations in this gene have been associated with the X-linked form of Opitz syndrome, which is characterized by midline abnormalities such as cleft lip, laryngeal cleft, heart defects, hypospadias, and agenesis of the corpus callosum. This gene was also the first example of a gene subject to X inactivation in human while escaping it in mouse. Alternative promoter use, alternative splicing and alternative polyadenylation result in multiple transcript variants that have different tissue specificities. [provided by RefSeq, Dec 2016]

**Product images:**



Circular map for RC231308