

Product datasheet for **RC231440**

NCoR (NCOR1) (NM_001190438) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Tag:	Myc-DDK
Symbol:	NCoR
Synonyms:	hN-CoR; N-CoR; N-CoR1; PPP1R109; TRAC1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



ORF Nucleotide Sequence: >RC231440 representing NM_001190438
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTGCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCGCGATCGCC

ATGTCAAGTTCAGGTTATCCTCCCAACCAAGGAGCATTAGCACAGAACAAAGTCGTTATCCTCCTCACT
 CTGTCCAGTATACATTTCCCAACACCCGCCACAGCAGGATCCAGCATTGCGAGGCAAAACATGAAGCTCC
 ATCCTCTCCAATTTTCGGGGCAACCATGTGGAGATGATCAAAATGCTTCACCTTCAAAACTCTCAAAGGAA
 GAGTTAATACAGAGTATGGATCGTGTAGATCGAAGAAATGCAAAAGTAGAACAGCAGATCCTTAAACTGA
 AAAAGAAACAACAACAGCTTGAAGAAGAGGCAGCTAAACCTCCTGAGCCTGAGAAGCCCGTGTCCCTCC
 TCCTGTGGAGCAGAAACACCGCAGTATTGTCCAAATTTTATGATGAGAATCGGAAAAAGCAGAAAGAA
 GCTCATAAAATTTTGAAGTCTTGGCCCAAAAGTTGAACTGCCACTGTATAACCAGCCATCAGATACCA
 AGGTGTACCATGAGAACATCAAGACAACCCAGGTGATGAGGAAAAACTCATTTTATTTTTTAAAGAAG
 AAATCATGCAAGAAAAAAGGGAACAAAAATCTGCCAGCGTTATGATCAGCTCATGGAGGCATGGGAG
 AAAAAAGTGGACAGAAATAGAAAATAATCCTCGGAGGAAAGCTAAAGAAAGCAAAACAAGGGAATACTATG
 AAAAGCAGTTTCCAGAAATTCGAAAACAAGAGAACAGCAAGAAAGATTTCAGCGAGTTGGGCAGAGGGG
 AGCTGGTCTTTCAGCCACCATGTGAGGAGTGAGCATGAGATTTCTGAAATTATTGATGGGCTCTCTGAG
 CAGGAGAATAATGAGAAACAAATGCCGCAGCTCTCTGTGATTCCACCTATGATGTTTATGATGAGAACAA
 GACGAGTCAAGTTCATTAAACATGAATGGGCTTATGGAGGACCTATGAAAGTGTATAAAGATAGGCAGTT
 TATGAATGTTTGGACTGACCATGAAAAGGAGATCTTTAAGGACAAGTTTATCCAGCATCCAAAAACTTT
 GGACTAATTGCATCATACTTGGAGAGGAAGAGTGTCTGATTGTGTTTGTATTACTATTTAAACCAAGA
 AAAATGAGAATTATAAGCCCTCGTCAGAAGGAATTATGGGAAACGCAGAGGCAGAAACAGCAAAATTCG
 TCGACCTCGCAAGAGAAAAAGTAGAAGAAAAAGAGAGGATAAAGCAGAAAAACAGAAAAAAGAA
 GAAGAAAAAGAGATGAAGAGGAAAAAGATGAAAAAGAACTCCAAAGAAAAATACCAAGGAAAAAGGACA
 AGATAGATGGTACAGCAGAGAAACTGAGGAAAGAGAGCAAGCCACACCCCGGGGGCGAAAGACTGCCAA
 CAGTCAGGGCCCGCTAAGGGCCGATCACCAGGTCCATGACAAACGAAGCTGCAGCTGCCAGTGCTGCA
 GCCGACGCGCTACTGAAGAGCCCCCACCACCTCTGCCACCGCCACCAGAACCCATTTCTACAGAGCCTG
 TGGAGACCTCTCGATGGACAGAGAAAGAAATGGAAGTTGCTAAAAAAGGTCTAGTAGAACATGGTCGTAA
 CTGGGCAGCAATTGCTAAAATGGTGGGAACGAAAAGTGAAGCTCAATGTAAAACTTCTATTTTAACTAT
 AAAAGGCGACACAATCTTGACAACCTTTACAGCAGCATAAACAGAAAACTTCACGAAAACCTCGTGAAG
 AGCGAGATGTGTCTCAATGTGAAAGTGTGCTTCCACTGTTTCTGCTCAGGAGGATGAAGATATTGAAGC
 CTCCAATGAAGAGAAAAATCCAGAAGACAGCGAAGGTGCAGAAAAATAGTTCTGTATACAGAAAGTGCTCT
 TCTCCTTACCAGTTGAAGCTGTCAAGCCACGCGAGGACAGTCTGAAAATGCTACTTCTCGAGGAAACA
 CAGAACCTGCGGTTGAGCTTGAGCCACCCAGGAACTGCACCCAGTACATCTCCCTCCTTAGCAGTTCC
 AAGTACAAAAACAGCTGAAGATGAAAGTGTGGAGACCCAGGTGAATGACAGCATCAGTGCTGAGACAGCA
 GAGCAGATGGATGTAGATCAGCAGGAGCACAGTGTGAAGAGGTTCTGTTTGTATCCCCACCCGCTA
 CCAAAGCTGACTCTGTGGACGTTGAAGTGAAGGTGCCAGAAAACCATGCATCTAAAGTTGAAGGTGATAA
 TACCAAGAAAGAGACTTGGATAGAGCCAGTGAGAAGGTGGAACCTAGAGATGAAGATTTGGTGGTAGCT
 CAGCAAAATAATGCCAAAGGCCGAGCCCCAGTCAGACAATGATTCCAGTGCCACGTGCAGCGCTGATG
 AGGATGTGGATGGAGAGCCAGAGAGGCAGAGAATGTTTCTATGGACTCAAAGCCTTCACTGTTAAACCC
 CACTGGATCTATACTCGTCTCATCTCCGTTAAACCAAATCCACTGGATCTGCCACAGCTTCAGCATCGA
 GCTGCTGTTATCCACCAATGGTATCCTGCACCCCATGTAACATACCAATTGGAACCCAGTGAGCGGCT
 ATGCTCTCTACCAGCAGACATTAAAGCAATGCATGAGTCAGCACTCCTGGAGGAGCAGCGGCAGAGACA
 AGAACAGATAGATTTGGAATGTAGAAGTTCTACAAGTCCATGTGGCACATCCAAGAGTCCAACAGAGAG
 TGGGAAGGTAGG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC231440 representing NM_001190438

Red=Cloning site Green=Tags(s)


MSSSGYPPNQAFSTEQSRYPHVSQYTFPNTRHQQDPAFGGKHEAPSSPISGQPCGDDQNASPSKLSKE
ELIQSMRDVREIAKVEQQILKLLKKQQQLEEEAAKPEPEKPVSPPPVEQKHSIVQIIYDENRKAEE
AHKIFEGLGPKVELPLYNQPSDTKVYHENIKTNQVMRKKLILFFKRRNHARKQREQKICQRYDQLMEAW
KKVDRIENNPRRKAKESKTREYYEQFPEIRKQREQQERFQRVGQRGAGLSATIASRHEISEIIDGLSE
QENNEKQMRQLSVIPPMFDAEQRRVKFINMGLMEDPMKVYKDRQFMNVWTDHEKEIFKDKFIQHPKNF
GLIASYLERKSVPCDVLYYLTKKNENYKALVRRNYGKRRGRNQIARPSQEEKVEEKEEDKAETEKKE
EEKDDEEEKDEKEDSKENTKEKDKIDGTAETEEREQATPRGRKTANSQGRKGRITRSMTEAAAAA
AAAATEEPPPLPPPPEPSTEPVETSRWTEEMEVAKKGLVEHGRNWAAIAKMGTKSEAQCKNFYFNY
KRRHNLNLLQQHKQTSRKPREERDVSQCESVASTVSAQEDEDIAENNEENPEDSEGAENSSDTE
SPSPVEAVKPSSEDPENATSRGNTEPAVELEPTTETAPSTSPSLAVPSTKPAEDESQVNDISAETA
EQMDVDQQEHSAEESGCDPPPATKADSDVEVRVPENHASKVEGDNTKERDLDRASEKVEPRDELVVA
QQINAQRPEPQSDNDSSATCSADEVDGEPERQRMFPMDSKPSLLNPTGSILVSSPLKPNPLDPLQLQHR
AAVIPPVMVSCPCNIPITPVSGYALYQRHIKAMHESALLEEQRQREQIDLECRSSTSPCGTSKSPNRE
WEGR

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:




* The last codon before the Stop codon of the ORF

ACCN:	NM_001190438
ORF Size:	2742 bp
OTI Disclaimer:	Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery. The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_001190438.1 , NP_001177367.1
RefSeq Size:	3106 bp
RefSeq ORF:	2745 bp
Locus ID:	9611
UniProt ID:	O75376
Cytogenetics:	17p12-p11.2
Protein Families:	Druggable Genome

MW: 104.4 kDa

Gene Summary: This gene encodes a protein that mediates ligand-independent transcription repression of thyroid-hormone and retinoic-acid receptors by promoting chromatin condensation and preventing access of the transcription machinery. It is part of a complex which also includes histone deacetylases and transcriptional regulators similar to the yeast protein Sin3p. This gene is located between the Charcot-Marie-Tooth and Smith-Magenis syndrome critical regions on chromosome 17. Alternate splicing results in multiple transcript variants. Pseudogenes of this gene are found on chromosomes 17 and 20.[provided by RefSeq, Jun 2010]

Product images:



Circular map for RC231440