

Product datasheet for RC231441L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

NRIP (DCAF6) (NM_001198957) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: NRIP (DCAF6) (NM_001198957) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: NRIP

Synonyms: 1200006M05Rik; ARCAP; IQWD1; MSTP055; NRIP; PC326

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)


E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC231441).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001198957

ORF Size: 2760 bp





NRIP (DCAF6) (NM_001198957) Human Tagged Lenti ORF Clone - RC231441L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001198957.1</u>, <u>NP 001185886.1</u>

 RefSeq ORF:
 2763 bp

 Locus ID:
 55827

 UniProt ID:
 Q58WW2

Cytogenetics: 1q24.2

MW: 103.5 kDa

Gene Summary: The protein encoded by this gene is a ligand-dependent coactivator of nuclear receptors,

including nuclear receptor subfamily 3 group C member 1 (NR3C1), glucocorticoid receptor (GR), and androgen receptor (AR). The encoded protein and DNA damage binding protein 2 (DDB2) may act as tumor promoters and tumor suppressors, respectively, by regulating the


level of androgen receptor in prostate tissues. In addition, this protein can act with

glucocorticoid receptor to promote human papillomavirus gene expression. [provided by

RefSeq, Mar 2017]



Product images:



Circular map for RC231441L4