

Product datasheet for **RC231450**

NRIP (DCAF6) (NM_001198956) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NRIP (DCAF6) (NM_001198956) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NRIP
Synonyms:	1200006M05Rik; ARCAP; IQWD1; MSTP055; NRIP; PC326
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RC231450 representing NM_001198956
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGC**

ATGTCCTCGGGGTGGCTCCTACCCACACCTGTTGTGGGACGTGAGGAAAAGGTCCTCGGGCTGGAGGACC
 CGTCCCGCTGCGGAGTCGCTACCTGGGAAGAAGAGAATTTATCCAAAGATTAAGCAACCCCT
 TAATGTGCATGATGGTTGTGTTAATAACAATCTGTTGGAATGACACTGGAGAATATATTTTATCTGGCTCA
 GATGACACCAAATTAGTAATTAGTAATCCTTACAGCAGAAAGGTTTTGACAACAATTCGTTCAAGGCACC
 GAGCAACATATTTAGTGCAAGTTCTTACCTGTACAAATGATAAACAGATTGTATCCTGCTCTGGAGA
 TGGAGTAATATTTATACCAACGTTGAGCAAGATGCAGAAACCAACAGACAATGCCAATTTACGTGTCAT
 TATGGAACCTTATGAGATTATGACTGTACCAATGACCCTTACACTTTTCTCTCTGTGGTGAAGATG
 GAACTGTTAGGTGGTTTGATACACGCATCAAACTAGTCACAAAAGAAGATTGTAAGATGATATTTT
 AATTAAGTGTGACGTGCTGCCACGTCTGTTGCTATTTGCCACCAATACCATATTACCTTGCTGTTGGT
 TGTTCGACAGCTCAGTACGAATATATGATCGGCGAATGCTGGGCACAAGAGCTACAGGGAATTATGCAG
 GTCGAGGGACTACTGGAATGGTTGCCCGTTTTATTCTTCCCCTCTTAATAATAAGTCTGCAGAGTGAC
 ATCTCTGTGTACAGTGAAGATGGTCAAGAGATTCTCGTTAGTTACTCTTCAGATTACATATATCTTTTT
 GACCCGAAAGATGATACAGCAGGAGAACTTAAACTCCTTCTGCGGAAGAGAGAAGAGAGATTGCGAC
 AACCACCAAGTTAAGCGTTTGAGACTTCGTGGTGATTGGTCAGATACTGGACCCAGAGCAAGGCCGGAGAG
 TGAACGAGAACGAGATGGAGAGCAGAGTCCCAATGTGTCATTGATGCAGAGAATGTCTGATATGTTATCA
 AGATGGTTTGAAGAAGCAAGTGAGTTGCACAAAGCAATAGAGGACGAGGAAGATCTCGACCCAGAGGTG
 GAACAAGTCAATCAGATATTTCAACTCTTCTACGGTCCCCTCAAGTCTGATTTGGAAGTGAGTGAAAC
 TGCAATGGAAGTAGATACTCCAGCTGAACAATTTCTTCAGCCTTCTACATCCTCTACAATGTCAGCTCAG
 GCTCATTGACATCATCTCCACAGAAAGCCCTCATTCTACTCCTTTGCTATCTTCTCCAGACAGTGAAC
 AAAGGCAGTCTGTTGAGGCATCTGGACACCACACATCATCAGTCTGAATTTTTAAGGGCCCTGAGAT
 AGCTTTGCTTCGTAAGCGCCTGCAACAAGTGAAGGCTTGAAGAGGCTGAGCAGCAGAGGCAGCAAGAGCTA
 GCTGCACATACCCAGCAACAGCCTTCCACTTCTGATCAGTCTTCTCATGAGGGCTCTTCACAGGACCCTC
 ATGCTTCAGATTCTCTTCTTCTGTGGTTAACAACAGCTCGGATCCATGTCACCTTGACGAGCAACAGGA
 TAACAATAATGAAAGCTGAGCCCCAAACAGGGACAGGTGAACCAAGTTTAAAGTTGCACTACAGCACA
 GAAGGAACAACACTACAAGCACAATAAACTGAACCTTACAGATGAATGGAGCAGTATAGCATCAAGTTCTA
 GAGGAATTTGGGAGCCATTGCAAACTGAGGGTCAGGAGGAATCTTTCGTCACAGAGCTCAGTGCAACC
 ACCAGAAGGAGACAGTGAACAAAAGCTCCTGAAGAATCATCAGAGGATGTGACAAAATATCAGGAAGGA
 GTATCTGCAGAAAACCCAGTTGAGAACCATATCAATATAACACAATCAGATAAGTTTACAGCCAAGCCAT
 TGGATTCCAACCTCAGGAGAAAGAAATGACCTCAATCTTGATCGCTCTTGTGGGGTTCCAGAAGAATCTGC
 TTCATCTGAAAAAGCCAAGGAACCAAGAACTTCAAGATCAGACTAGCACTGAGAGTGCTACCAATGAAAT
 AACACCAATCTGAGCCTCAGTTCCAAACAGAAGCCACTGGGCCTTCAGCTCATGAAGAACATCCACCA
 GGGACTCTGCTCTTCAGGACACAGATGACAGTGATGATGACCCAGTCTGATCCAGGTGCAAGGTATCG
 AGCAGGACCTGGTGATAGATTTAATATCAGAGGAACAACAATAGGTGATAGAATAATGAGACGCTCTGCT
 GTTGCCCGTATTGAGGAGTTCTTCAGAGCGAGAAAAGAAAGGAAAGAAATGGAAGAATTGGATACCTTTGA
 ACATTAGAAGGCCGCTAGTAAAAATGGTTTATAAAGGCCATCGCAACTCCAGGACAATGATAAAAGAAGC
 CAATTTCTGGGGTGCTAACTTTGTAATGAGTGGTTCTGACTGTGGCCACATTTTCATCTGGGATCGGCAC
 ACTGCTGAGCATTTGATGCTTCTGGAAGCTGATAATCATGTGGTAACTGCCTGCAGCCACATCCGTTTG
 ACCCAATTTTAGCCTCATCTGGCATAGATTATGACATAAAGATCTGGTCACCATAGAAGAGTCAAGGAT
 TTTTAACCGAAAACCTTGCTGATGAAGTTATAACTCGAAACGAACCTCATGCTGGAAGAACTAGAAACACC
 ATTACAGTTCAGCCTCTTTCATGTTGAGGATGTTGGCTTCACTTAATCATATCCGAGCTGACCGGTTGG
 AGGGTGACAGATCAGAAGGCTCTGGTCAAGAGAATGAAAATGAGGATGAGGAA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC231450 representing NM_001198956
Red=Cloning site Green=Tags(s)



MSRSGSYPHLLWDRKRSLGLEDP SRLRSRYLGRREFIQLRKLEATLNVDHGCVNTICWNDTGEYILSGS
DDTKLVISNPYSRKVLTTIRSGHRANIFSAKFLPCTNDKQIVSCSGDGVIFYTNVEQDAETNRQCQFTCH
YGTTYEIMTPNDPYTFLSCGEDGTVRWFDTRIKTSCTKEDCKDDILINCRRAATSAVICPPIPYLAVG
CSDSSVRIYDRMLGTRATGNAYAGRTTGMVARFIPSHLNNKSCRVTSLCYSEDGQEILVSYSDDIYLF
DPKDDTARELKTPSAEERREELRQPPVKRLRLRGDWSDTGPRARPESEERDGEQSPNVSLMQRMSDMLS
RWFEEASEVAQSNRGRGRSRPRGGTSQSDISTLPTVPSPSPDLEVSETAMEVDTPAEQFLQPSTSSMTSAQ
AHSTSSPTESPHSTPLLSSPDSEQRQSVEASGHHTHHQSEFLRGPEIALLRKRLQQLRLKKAQQRQQL
AAHTQQQPSTSDQSSHEGSSQDPHASDSPSSVVKQLGSMSLDEQQDNNNEKLSPKPGTGEPVLSLHYST
EGTTTSTIKLNFTDEWSSIASSSRGIGSHCKSEGQEEFVPQSSVQPEGDSETKAPEESSEDVTKYQEG
VSAENPVENHINITQSDKFTAKPLDSNSGERNDLNLDRSCGVPEESASSEKAKEPETSDQTSTESATNEN
NTNPEQFQTEATGPSAHEETSTRDSALQDTDSDDDDPVLIPGARYRAGPGDRFNIRGTTIGDRIMRRA
VARIQEFFRRRKERKEMEELDTLNIIRPLVKMVKYGHNRNSTMIKEANFWGANFVMSGSDCGHIFIWDRH
TAHMLLLEADKNHVNCLQPHFPDLNIPILASSIGDIYDIKISWPLEESRIFNRKLADEVITRNELMLEETRNT
ITVPASFMLRMLASLNHIRADRLLEGDRSESGGOENENEDEE

TRTRPLEOKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:




* The last codon before the Stop codon of the ORF

ACCN: NM_001198956

ORF Size: 2853 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_001198956.1 , NP_001185885.1
RefSeq ORF:	2856 bp
Locus ID:	55827
UniProt ID:	Q58WW2
Cytogenetics:	1q24.2
MW:	107 kDa
Gene Summary:	The protein encoded by this gene is a ligand-dependent coactivator of nuclear receptors, including nuclear receptor subfamily 3 group C member 1 (NR3C1), glucocorticoid receptor (GR), and androgen receptor (AR). The encoded protein and DNA damage binding protein 2 (DDB2) may act as tumor promoters and tumor suppressors, respectively, by regulating the level of androgen receptor in prostate tissues. In addition, this protein can act with glucocorticoid receptor to promote human papillomavirus gene expression. [provided by RefSeq, Mar 2017]

Product images:



Circular map for RC231450