

Product datasheet for RC231456L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CP110 (CCP110) (NM_001199022) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: CP110 (CCP110) (NM_001199022) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: CP110

Synonyms: Cep110; CP110

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this cl


Sequence:

The ORF insert of this clone is exactly the same as(RC231456).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_001199022

ORF Size: 3036 bp





CP110 (CCP110) (NM_001199022) Human Tagged Lenti ORF Clone - RC231456L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001199022.1</u>, <u>NP 001185951.1</u>

 RefSeq ORF:
 3039 bp

 Locus ID:
 9738

 UniProt ID:
 043303

Cytogenetics: 16p12.3

MW: 113.9 kDa

Gene Summary: Necessary for centrosome duplication at different stages of procentriole formation. Acts as a

key negative regulator of ciliogenesis in collaboration with CEP97 by capping the mother

centriole thereby preventing cilia formation (PubMed:17719545 PubMed:17681131,

PubMed:23486064). Also involved in promoting ciliogenesis. May play a role in the assembly of the mother centriole subdistal appendages (SDA) thereby effecting the fusion of recycling endosomes to basal bodies during cilia formation (By similarity). Required for correct spindle formation and has a role in regulating cytokinesis and genome stability via cooperation with

CALM1 and CETN2 (PubMed:16760425).[UniProtKB/Swiss-Prot Function]